



**POWERNET LIMITED LINE PRICING  
METHODOLOGY**

**FOR THE ELECTRICITY INVERCARGILL LIMITED  
NETWORK AS AT 1 APRIL 2014**

## TABLE OF CONTENTS

1. CHANGES TO PRICING METHODOLOGY .....	3
2. INTRODUCTION .....	3
3. CUSTOMER CONSULTATION.....	10
4. CONSUMER GROUPS .....	11
5. COST ALLOCATION.....	14
6. COST ALLOCATION TO CAPACITY GROUPS.....	21
7. FIXED AND VARIABLE CHARGES .....	40
8. NON- STANDARD CONTRACTS .....	41
9. DISTRIBUTED GENERATION .....	42
10. COMMERCE COMMISSION INFORMATION DISCLOSURE REQUIREMENTS .....	44
11. LINE CHARGE TABLES.....	45

## **1. CHANGES TO PRICING METHODOLOGY**

There have been no material changes to the pricing methodology from the previous edition. Additional information has been added to comply with the Electricity Distribution Information Disclosure Determination 2012.

## **2. INTRODUCTION**

The purpose of this document is to outline the methodology Electricity Invercargill Limited uses to economically reflect the costs of providing delivery services to the different consumer groups supplied on the network.

### **2.1 Background**

PowerNet Limited (PNL) has a responsibility for the management of the network assets owned by Electricity Invercargill Limited (EIL).

The network consists of:

- 1.4km of 33kV lines and 22.1km of 33kV cable.
- Four zone substations to transform High Voltage (HV) to Medium Voltage (MV).
- Two 11kV feeders supplying the Bluff network area from The Power Company Limited's Bluff Substation.
- 22.8km of 11kV lines and 159.0km of 11kV cables.
- 442 distribution transformers.
- The low voltage (230V) has 29.7km of overhead lines and 421.3km of cable supplying 17,243 customers.




Figure 1: EIL Invercargill Distribution Area




Figure 2: EIL Bluff Distribution Area

## 2.2 Compliance with Electricity Authority Information Disclosure Guidelines

This methodology has been prepared to meet the requirements of the Commerce Commission's Commerce Act (Electricity Distribution Services Information Disclosure) Determination 2012,

In addition, in February 2010 the Electricity Commission published its Distribution Pricing Principles and Information Disclosure Guidelines (2010 IDG). These contain a set of pricing principles and guidelines for information to be disclosed regarding the extent to which the pricing methodology adopted by an electricity distributor complies with those principles. The disclosure guidelines require the following disclosures (which are similar to, but not exactly the same as the 2008 IDR disclosure requirements):

- (a) Prices are to be based on a well defined, clearly explained and published methodology, with any material revisions to the methodology notified and clearly marked.
- (b) The pricing methodology must demonstrate:
  - i. How the methodology links to the pricing principles and any noncompliance;
  - ii. Rationale for consumer groupings and method for determining the allocation of consumers to consumer groups;
  - iii. Quantification of key components of costs and revenues;
- (c) An explanation of the cost allocation methodology and the rationale for the allocation to each consumer group;
  - i. An explanation of the derivation of the tariffs to be charged to each consumer group and the rationale for the tariff design; and
  - ii. Pricing arrangements used to share the value of any deferral of investment in distribution and transmission assets, with the investors in alternatives such as distributed generation or load management; where alternatives are practicable and where network economics warrant.
- (d) The pricing methodology should also:
  - i. Employ industry standard terminology, where possible; and
  - ii. where a change to the previous pricing methodology is implemented, describe the impact on consumer classes and transition arrangements implemented to introduce the new methodology.

The below table outlines the sections of this methodology which address the requirements of each of the above guidelines:

<b>Guideline</b>	<b>Methodology section addressing guideline</b>
(a).	This entire document is written to meet these standards.
(b)i.	Section 2.4
(b)ii	Section 4
(b)iii	Section 5
(b)iv	Section 6
(b)v	Section 4
(b)vi	We assess and consult with customers on an individual basis regarding these opportunities.
(c)i	We consider we use standard industry terminology.
(c)ii	N/A

## 2.3 Pricing Principles

The 2010 Electricity Commission's Distribution Pricing Principles are as follows:

- (a) Prices are to signal the economic costs of service provision, by:
  - i. Being subsidy free (equal to or greater than incremental costs, and less than or equal to stand alone costs) except where subsidies arise from compliance with legislation and/or other regulation;
  - ii. Having regard, to the extent practicable, to the level of available service capacity; and
  - iii. Signalling, to the extent practicable, the impact of additional usage on future investment costs.
- (b) Where prices based on 'efficient' incremental costs would under-recover allowed revenues, the shortfall should be made up by setting prices in a manner that has regard to consumers' demand responsiveness, to the extent practicable.
- (c) Provided that prices satisfy (a) above, prices should be responsive to the requirement and circumstances of stakeholders in order to:
  - i. Discourage uneconomic bypass;
  - ii. Allow for negotiation to better reflect the economic value of services and enable stakeholders to make price/quality trade-offs or non-standard arrangements for services; and
  - iii. Where network economics warrant, and to the extent practicable, encourage investment in transmission and distribution alternatives (e.g.: distributed generation or demand response) and technology innovation.
- (d) Development of prices should be transparent, promote price stability and certainty for stakeholders, and changes to prices should have regard to the impact on stakeholders.
- (e) Development of prices should have regard to the impact of transaction costs on retailers, consumers and other stakeholders and should be economically equivalent across retailers.

We have considered each of these principles in developing our line charges to apply from 1 April 2014.

## 2.4 Electricity Authority Pricing Principles Comparison

In this section PowerNet sets out how it considers it meets the Electricity Authority's pricing principles.

### 2.4.2 Prices are to signal the economic costs of service provision, by:

- i. Being subsidy free (equal to or greater than incremental costs, and less than or equal to stand alone costs) except where subsidies arise from compliance with legislation and/or other regulation;*
- ii. Having regard, to the extent practicable, to the level of available service capacity; and*
- iii. Signalling, to the extent practicable, the impact of additional usage on future investment costs.*

The PowerNet cost allocation model allocates costs to individual customers based on their share of the assets employed to supply them. The remaining group

customers have the resulting costs allocated to them on an averaged basis once the individual customers' costs have been deducted from the total costs. This method results in a cost allocation which recovers revenue in between stand alone costs and the incremental cost of supply.

PowerNet takes subsidy free prices to mean that for each consumer group, the revenues from that group should not be below the cost of connecting that consumer group to the network (incremental costs), or, be greater than the costs of supplying that group, as if they were the only customer group (stand-alone costs). It is not easy to accurately establish the stand alone costs for most customers supplied by a common service via a meshed network. We can conclude that stand alone costs would be higher than average costs for those customers given the scale efficiencies in supplying them from a meshed network. PowerNet believes that the cost allocators used in the model are a representation of the underlying cost drivers of the business and therefore is subsidy free.

New connections to the network pay a capital contribution if the expected revenue from the line charge does not cover the capital recovery cost required, this ensures that new connections are not subsidised and that total revenue from the new customer is not less than the expected incremental costs.

PowerNet's pricing structure is based on capacity based load groups to ensure prices have regard to the level of service capacity and encourages the use of controlled energy consumption by having a price differential in the fixed charge for group customers.

The day/night energy component also provides a strong signal to consumers to reduce their costs by utilising spare network capacity at night thus reducing capital investment in the network.

Individual customers have a capacity based charge along with a peak demand charge.

This is because the most significant cost driver that influences investment requirements in the network is the combined peak demand of all consumers in an area. PowerNet designs and constructs its network to meet this peak load. This ensures that prices signal the impact of additional demand on future investment costs.

#### **2.4.3 Where prices based on 'efficient' incremental costs would under-recover allowed revenues, the shortfall should be made up by setting prices in a manner that has regard to consumers' demand responsiveness, to the extent practicable.**

PowerNet believes that this principle is similar to the Ramsey Pricing principle which is a form of price discrimination used by monopolies, where those consumers with inelastic demand face higher charges as their consumption is least likely to be distorted as a result.

This principle is difficult to apply as price elasticity information is difficult to obtain and it is likely the price elasticities will be different within each load group.

A rule of thumb from past experience led to the conclusion that a 10% increase in charges would result in a 1% decrease in usage for about six to nine months, after which usage would return to normal as consumers adjusted to the new prices and returned to previous habits and patterns of usage.

In the past PowerNet has not found it practicable to assess consumers' demand responsiveness and set charges accordingly to recover lost revenue. These changes, including the loss of revenue from the introduction of the "Low Fixed Charges", have been addressed in future price adjustments. Revenue growth from new loads has also tended to compensate for revenue reduction from more efficient use.

PowerNet also uses tariff structures which have variable charges to recover predominately fixed charges which can differentiate different consumers' elasticity but also results in a degree of annual revenue uncertainty due to climate and economic variations.

#### **2.4.4 Provided that prices satisfy (a) above, prices should be responsive to the requirement, and circumstances of stakeholders in order to:**

- i. Discourage uneconomic bypass;*
- ii. Allow for negotiation to better reflect the economic value of services and enable stakeholders to make price/quality trade-offs or non standard arrangements for services; and*
- iii. Where network economics warrant, and to the extent practicable, encourage investment in transmission and distribution alternatives (e.g.: distributed generation or demand response) and technology innovation.*

The main risk of bypass is that large consumers will choose to connect directly to the Transpower network. PowerNet's individual pricing for large customers and individual account management to industrial and large commercial customers addresses the risk of bypass by negotiating arrangements that, as closely as practical, reflect the network costs incurred by each individual consumer.

PowerNet's pricing model for large individual consumers ensures that the price is cost reflective. The pricing model allows customers to own their own distribution transformers passing on the savings made by ownership.

The use of individual capacity and demands also ensures that the price is cost reflective. By these processes, PowerNet discourages uneconomic bypass of its network and allows negotiation to tailor its services to the specific needs of the consumer.

During the consultation process with customers, particularly the larger individual consumers, and often when they are extending or requiring a new supply, price/quality trade-offs are discussed and offered, these often in the form of offering the customer an (n-1) supply. Consumers who choose this level of supply will have the extra costs reflected in their individual line charge.

Each year PowerNet conducts a customer survey of 100 domestic and commercial customers. Customers are asked if they would pay an extra \$10 per month in their line charge to reduce the number of outages they experienced each year, 86% stated no to this question.

PowerNet' peak times are outlined in the methodology and have encouraged individual customers to employ demand response actions such as turning on alternative generation or load shifting during these times to reduce their peak demands. Domestic customers have the option to put some of their appliances on controlled tariffs to qualify for the off-peak fixed charge.

Customers are encouraged to use energy at night through the use of night store heaters, heating the hot water or using their appliances such as clothes driers, washing machines etc. during this period. The customer is then financially rewarded as the consumption does not attract any variable line charge. The "whole house day/night tariff" can reward consumers financially through prudent management of their power requirements.

#### **2.4.5 Development of prices should be transparent, promote price stability and certainty for stakeholders, and changes to prices should have regard to the impact on stakeholders.**

PowerNet's current price structure has been in place since 1996 and has only seen changes to tariff options in response to customer demand or legislative requirements such as the Electricity (Low Fixed Charge Tariff Option for Domestic Consumers) Regulations 2004.

Through the disclosure of the pricing methodology, the costs allocated to each consumer group are transparent. This allows stakeholders to make informed decisions between capacity based price categories.

PowerNet has maintained its pricing structure and differentials between peak and off-peak fixed charges and has kept night consumption free of variable charges to give stability and certainty to customers who have invested in controllable load due to the price differential and potential savings when the investment was made.

Price levels for individual consumers each year are based on the previous year's performance and projections for the current year following discussions with the consumer when required.

More efficient use of electricity by these consumers may be reflected at the time in the variable charges but will primarily be effective as the basis for calculating reduced line charges (in real terms) for the following year.

#### **2.4.6 Development of prices should have regard to the impact of transaction costs on retailers, consumers and other stakeholders and should be economically equivalent across retailers.**

All retailers who use the network are subject to the same tariff schedules from PowerNet therefore, PowerNet considers that its prices are economically equivalent across all retailers.

Once the line charges have been established by the methodology, the tariff structure is straight forward, limited to a fixed daily charge and variable consumption tariff for the majority of customers. PowerNet recognises that whilst the tariff structure is simple, there are a large number of tariff options due to the peak/off-

peak options available within each capacity group. The Electricity (Low Fixed Charge Tariff Option for Domestic Consumers) Regulations 2004 requiring a low fixed charge option for each domestic tariff has also greatly increased the number of options.

The issue is a compromise between simplicity and equitability of pricing. Three parameters influence the cost; the location of the premises to be supplied (governs the assets used), the load to be supplied (governs the size of assets used) and the time the load is supplied (governs the diversity and hence size and share of the assets used).

PowerNet's line charge methodology has endeavoured to incorporate these aspects and then apply in the most equitable but simple way practicable.

PowerNet uses "GXP billing" for its group customer connections, this is where variable consumption charges are based on electricity volumes injected into the network at the Transpower grid exit points. Quantities are determined by the wholesale electricity market reconciliation process, which is itself governed by an Industry Participation Code. This method saves on administration costs which are transferred back into the pricing.

PowerNet also recognises that "ICP pricing and billing" can send stronger price signals to consumers but does constrain tariff innovation by the retailers. The alternative is for a further breakdown of the GXP energy volumes into "peak" and "shoulder" rates or "congestion" and "non congestion" periods which would be differentially charged to the retailers. This would sharpen the signal to the retailers and end use consumers.

We have been awaiting a confirmed direction from the Electricity Authority before we move forward with more changes.

### **3. CUSTOMER CONSULTATION**

PowerNet seeks the views of consumers as part of the Asset Management Process (AMP) and has reflected these views in section 1.6.5 of the published AMP.

The views were obtained via the following methods:

1. A bulk phone survey of current customers including expectations on price and quality
2. A face to face survey of with key clients including expectations on price and current service
3. Consultation meetings at various locations throughout the network
4. Individual consumers are consulted as they consider supply upgrades or new connections to the network.

The views are considered in preparation of the AMP.

Quality in the form of security of supply (n versus n-1), capacity (equipment loadings) both impact on the cost of supply and subsequently prices charged. Price is able to be varied through different payment options (such as capital contributions, line charges and new investment agreements) which are discussed with large individual consumers as they consider supply upgrades or new connections to the network.

## 4. CONSUMER GROUPS

There are two defined types of consumers. They are as follows:

### (a) Individual Consumers

These consumers have half-hour or time-of-use meters, including kVA maximum demand registers.

In most cases these installations have contract capacities in excess of 100kVA. Due to their size, these consumers have a higher impact on the network design and operation and therefore this is taken into account when calculating their individual line charges. This also provides a signal for future investment and through the correct pricing discourages network by-pass.

Individual factors considered in cost allocations to individual line charge customers include:

- Connections having dedicated transformers.
- Low percentage use of the low voltage network
- Low diversity as capacity and demand increases
- Customer owned transformers.
- Additional security and back supplies, n-1.
- Higher importance on network maintenance

These consumers, through the half-hour or time-of-use metering, have individual profiles, which are used to calculate the line charges. Metering of these consumers includes kVA demand metering which provides the winter or seasonal peak demand and also the anytime peak demand. The latter figures are used in the calculation of line charges and to determine the contract capacity. For these consumers, the contract capacity is based on the next highest standard transformer size above their anytime demand or, alternatively, as per the original contract if growth is predicted and the network has been designed and built to supply the increased level.

### (b) Group Consumers

Group consumers; include all domestic connections and non-domestic single and 3 phase connections up to 100kVA capacity.

Non-domestic connections are split between single and three phase categories, they are then further disaggregated into load groups based on the size of the service fuse or transformer supplying them. The differentials between load groups reflect the use of the network assets for each group and the diversity each group has around peak load times.

All domestic consumers are classed as single-phase irrespective of whether they are supplied two-phase or three-phase. This is due to the fact that for many of the consumers there was no choice in their method of supply and there are many older multi-phase domestic installations. All old domestic consumer installations are classed as "historic domestic".

The 8kVA domestic consumer requires a 32-amp circuit breaker to be installed on the main switchboard to control the complete installation. This capacity is only allowed for single-phase installations.

In line with the Electricity (Low Fixed Charge Tariff Option for Domestic Consumers) Regulations 2004, domestic customers consuming less than 9000 kWh per annum are able to transfer to the Domestic Low User option tariffs. These options attract a lower fixed daily charge and a higher variable consumption charge. Retailers with customers on these tariffs must submit the monthly consumption amounts for these customers in a separate file to PowerNet.

The bases for the different consumer groups are contract capacity and whether there is significant controllable load on the premises. The latter point qualifies the consumer for either an “all peak” or “with off peak” line charge. Different consumer groups are based on practical fuse sizes. The eligibility for a “with off peak” line charge is determined on the basis that at least 25% of the total energy consumption has to be separately metered or consumed between 23:00 and 07:00 hours or by an appropriate ripple controlled appliance, such as a water heater.

The consumer groups are:

Contract Capacity Group	Code
<b>Domestic</b>	
Small Domestic (8kVA 1 Phase) - All Peak	ND08P
Small Domestic (8kVA 1 Phase) - With Off Peak	ND08Q
Standard Domestic (20kVA 1 Phase) - All Peak	ND20P
Standard Domestic (20kVA 1 Phase) - With Off Peak	ND20Q
10% Fixed Charge Option (20kVA 1 Phase) - All Peak	NDL20P
10% Fixed Charge Option (20kVA 1 Phase) - With Off Peak	NDL20Q
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	NDL08P
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	NDL08Q
<b>Non-Domestic Single Phase</b>	
Street Lights (1 Phase) per street light	NS001L
1 kVA 1 Phase - All Peak	NS001P
8 kVA 1 Phase - All Peak	NS008P
8 kVA 1 Phase - With Off Peak	NS008Q
20 kVA 1 Phase - All Peak	NS020P
20 kVA 1 Phase - With Off Peak	NS020Q
<b>Non-Domestic Three Phase</b>	
15 kVA 3 Phase - All Peak	NT015P
15 kVA 3 Phase - With Off Peak	NT015Q
30 kVA 3 Phase - All Peak	NT030P
30 kVA 3 Phase - With Off Peak	NT030Q
50 kVA 3 Phase - All Peak	NT050P

50 kVA 3 Phase - With Off Peak	NT050Q
75 kVA 3 Phase - All Peak	NT075P
75 kVA 3 Phase - With Off Peak	NT075Q
100 kVA 3 Phase - All Peak	NT100P
100 kVA 3 Phase - With Off Peak	NT100Q
<b>EIL Bluff</b>	
<b>Domestic</b>	
Small Domestic (8kVA 1 Phase) - All Peak	BD08P
Small Domestic (8kVA 1 Phase) - With Off Peak	BD08Q
Standard Domestic (20kVA 1 Phase) - All Peak	BD20P
Standard Domestic (20kVA 1 Phase) - With Off Peak	BD20Q
10% Fixed Charge Option (20kVA 1 Phase) - All Peak	BDL20P
10% Fixed Charge Option (20kVA 1 Phase) - With Off Peak	BDL20Q
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	BDL08P
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	BDL08Q
<b>Non-Domestic Single Phase</b>	
Street Lights (1 Phase) per street light	BS001L
1 kVA 1 Phase - All Peak	BS001P
8 kVA 1 Phase - All Peak	BS008P
8 kVA 1 Phase - With Off Peak	BS008Q
20 kVA 1 Phase - All Peak	BS020P
20 kVA 1 Phase - With Off Peak	BS020Q
<b>Non-Domestic Three Phase</b>	
15 kVA 3 Phase - All Peak	BT015P
15 kVA 3 Phase - With Off Peak	BT015Q
30 kVA 3 Phase - All Peak	BT030P
30 kVA 3 Phase - With Off Peak	BT030Q
50 kVA 3 Phase - All Peak	BT050P
50 kVA 3 Phase - With Off Peak	BT050Q
75 kVA 3 Phase - All Peak	BT075P
75 kVA 3 Phase - With Off Peak	BT075Q
100 kVA 3 Phase - All Peak	BT100P
100 kVA 3 Phase - With Off Peak	BT100Q

## 5. COST ALLOCATION

### 5.1 PowerNet/Electricity Invercargill Ltd (EIL) Structure

PowerNet Ltd is jointly owned by EIL and The Power Company Ltd (TPCL) and is contracted to manage the network assets of its two shareholders in accordance with the respective Service Level Agreement (Agreement).

The Agreement allows PowerNet to source its revenue from the line charges paid by the retailers or end use customers. In turn PowerNet pays EIL a "Use Charge". This is fundamentally a lease charge to EIL and includes an allowance for depreciation of the assets, costs directly attributed to EIL and the gross return required by EIL. This is the return on assets before expenses and tax.

With respect to the management of EIL's assets, PowerNet's objective is to break even and revenues and expenditures are projected to achieve that result.

The Use Charge can be varied at the end of the year to allow for significant variations in line charge revenue maintaining a relatively break even result for PowerNet.

### 5.2 Allocations

PowerNet uses a cost of supply model which uses a number of key inputs or cost drivers which can be determined and appropriately allocated between the relevant consumers and consumer groups.

The key cost drivers used within this model are:

- (a) Transmission Grid Asset Management costs (Connection and Interconnection costs)
- (b) Sub transmission network costs split into a "supply" component (Use Charge) and a "maintenance" component – 66,000 and 33,000V line and cables and 4 zone substations.
- (c) Distribution network costs split into a "supply" component (Use Charge) and a "maintenance" component - 11,000, 400V networks and distribution Substations.
- (d) PowerNet overhead non asset related direct costs.
- (e) EIL use charge comprising depreciation, return on investment and other costs of ownership.

Each consumer or consumer groups' share of the use of the above assets and costs are then calculated to reflect their respective use. The objective is to reflect the share of the costs in a robust and equitable manner and the line charges be structured so that the network investment and line charges are responsive to the consumer and consumer groups' behaviour or pattern of usage.

The following table lists the costs that we have forecast for the 2014 – 2015 year, which equates to our total target revenue.

### Total Costs

<b>Transmission</b>		<b>\$6,166,725</b>
Transpower Connection and Interconnection charges		
<b>Administration</b>		<b>\$1,577,837</b>
Administration - non asset related direct costs. Maintenance - costs directly related to network assets		
<b>Operation and Maintenance</b>		<b>\$1,942,049</b>
Field services operation and maintenance costs		
<b>Ownership and Governance</b>		<b>\$12,805,279</b>
Asset Value (average carrying value of regulatory investment asset) - (\$72,716,657 + \$76,129,537) / 2	\$76,727,804	
EIL applicable WACC (after tax) 8.77%		\$6,729,028
Taxation		\$ 2,616,845
Depreciation and write offs		\$ 3,566,837
<b>Costs to be Recovered</b>		<b>\$22,491,890</b>
<b>Under recovery of costs to meet DPP requirement</b>		<b>(2,424,711)</b>
<b>Costs Allowed to be Recovered (Total Target Revenue)</b>		<b>\$20,067,179</b>

### 5.3 Customer Profiles

The derivation of the line charges is based on seven consumer profile parameters. They are:

- (a) The Contract Capacity kVA (kW) of the installation
- (b) The Winter Peak demand kVA (kW) (0700-1100 hours and 1700-2100 hours, each weekday between June and August inclusive)
- (c) The Winter Peak energy MWh (0700-1100 hours and 1700-2100 hours, each weekday between May and September inclusive)
- (d) The Winter Day energy MWh (0700-2300 hours, May to September inclusive)
- (e) The Summer Day energy MWh (0700-2300 hours, October to April inclusive)
- (f) The Total energy for the 12 month period MWh.
- (g) Coincident Peak demand with Transpowers 100 highest peaks for the lower South Island (kVA), half hour metered customers only

### 5.4 Transpower and Subtransmission costs

The basis of allocation of Transpower and subtransmission costs is on the after diversity maximum demand for each customer during the periods of network maximum demand. Similarly the allocation of the distribution costs is on an after diversity distribution capacity of the customer's installation.

The PowerNet methodology takes into account the duration that the customer impacts on the peak loading hours of the network. This is achieved by allocating some of the Transmission, subtransmission and distribution costs based on the Winter Peak energy and the Winter Day energy.

This in effect reduces the charges for a customer who incurs just one half hour peak for the whole winter or is only impacting on the peak hours for part of the winter and increases the charges for those customers who are impacting regularly on the peak periods during the whole winter.

It has the effect of integrating the peak demand over a longer period.

## 5.5 Winter Peak

The Winter Peak demands for the various customers and customer groups have a diversity factor applied to them, which reflects to some extent their impact on the total after diversity maximum demand on the network. These diversity factors, based on their peak demands, are as follows:

Up to 21kVA = 17%

Between 21kVA and 110kVA = ramp function from 17% - 37.5%

Between 110kVA and 2,000kVA = ramp function from 37.5% - 75%

Above 2000kVA = 75%.

These diversity factors reflect the increased diversity of a large number of smaller customers compared to less diversity for the larger customers.

## 5.6 Contract Capacities

Similarly diversity factors are applied to the contract capacities of the various customers. These diversity factors are as follows:

For connections up to 16kVA = 25%

For connections between 16kVA and 100kVA = ramp function from 25% - 33%

For connections between 101kVA and 2,000kVA = ramp function from 33% - 70%

For connections above 2,000kVA = 70%.

These diversities reflect the differing impacts of the different sized customers on the local capacity of the reticulation system. There is an increased diversity between the smaller customers than with the large customers with respect to the capital investment in the local distribution network.

## 5.7 Subtransmission and Distribution split

The costs of the subtransmission and distribution components of the line charges are split into two categories:

### (a) Supply

The “supply” part is based on the depreciation of the network assets, other ownership costs and required return on the assets, the latter using the companies weighted average cost of capital.

## (b) Maintenance

The “maintenance” part is based on the Maintenance Works Programme for the current year.

Management costs for capital and maintenance work are allocated to Supply and Maintenance respectively.

**The profile parameters for determining the line charges for the individual customers, grouped by capacity are:**

Contract Capacity kVA	Number of Connections	Coincident Peak Demand Reading kVA	Peak Demand Reading kVA	Total Energy Reading MWh	Peak Reading MWh	Winter Day Reading MWh	Summer Day Reading MWh
30	2	36	42	93	14	32	40
50	9	129	380	1209	143	360	483
75	14	284	812	2126	328	798	930
100	13	306	801	1907	236	605	657
150	42	749	3939	7967	1311	3006	3028
200	34	1070	3633	9169	1306	3189	3864
300	33	2277	5650	16148	2319	5627	6661
500	19	2853	5233	17184	2252	5798	6889
750	7	1132	2204	8224	901	2456	3243
1,000	3	583	1197	3996	433	1039	1482
1,250	1	131	288	1116	143	358	419
1,750	1	884	1539	6339	690	1778	2552

The profile parameters for determining the line charges for the Group customers are:

Consumer Capacity	Code	Number of Connections	After Diversity Peak 'Demand kW	Total Energy Group MWh	Winter Peak Group MWh	Winter Day Group MWh	Summer Day Group MWh
<b>Domestic</b>							
Small Domestic (8kVA 1 Phase) - All Peak	ND08P	14	20	81	15	35	29
Small Domestic (8kVA 1 Phase) - With Off Peak	ND08Q	136	164	790	111	303	274
Standard Domestic (20kVA 1 Phase) - All Peak	ND20P	533	1516	6192	1161	2643	2194
Standard Domestic (20kVA 1 Phase) - With Off Peak	ND20Q	9690	23428	112578	15832	43239	39094
10% Fixed Charge Option - All Peak	NDL20P	249	708	1286	241	549	456
10% Fixed Charge Option - With Off Peak	NDL20Q	3567	8624	18418	2590	7074	6396
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	NDL08P	6	9	31	6	13	11
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	NDL08Q	69	83	356	50	137	124
<b>Non-Domestic Single Phase</b>							
Street Lights (1 Phase)	NS001L	4221	316.58	1014.15	190.16	432.80	359.37
1 kVA 1 Phase - All Peak	NS001P	32	32	308	58	131	109
8 kVA 1 Phase - All Peak	NS008P	165	235	958	180	409	340
8 kVA 1 Phase - With Off Peak	NS008Q	12	15	70	10	27	24
20 kVA 1 Phase - All Peak	NS020P	267	759	3102	582	1324	1099
20 kVA 1 Phase - With Off Peak	NS020Q	106	256	1232	173	473	428
<b>Non-Domestic Three Phase</b>							

15 kVA 3 Phase - All Peak	NT015P	62	165	675	127	288	239
15 kVA 3 Phase - With Off Peak	NT015Q	10	23	109	15	42	38
30 kVA 3 Phase - All Peak	NT030P	520	3149	9147	1715	3903	3241
30 kVA 3 Phase - With Off Peak	NT030Q	145	746	2550	359	980	886
50 kVA 3 Phase - All Peak	NT050P	286	3576	12982	2434	5540	4600
50 kVA 3 Phase - With Off Peak	NT050Q	72	765	3268	460	1255	1135
75 kVA 3 Phase - All Peak	NT075P	108	2513	7299	1369	3115	2587
75 kVA 3 Phase - With Off Peak	NT075Q	14	277	946	133	363	329
100 kVA 3 Phase - All Peak	NT100P	61	2260	6564	1231	2801	2326
100 kVA 3 Phase - With Off Peak	NT100Q	8	252	861	121	331	299
<b>EIL Bluff</b>							
<b>Domestic</b>							
Small Domestic (8kVA 1 Phase) - All Peak	BD08P	2	3	12	2	5	4
Small Domestic (8kVA 1 Phase) - With Off Peak	BD08Q	5	6	29	4	11	10
Standard Domestic (20kVA 1 Phase) - All Peak	BD20P	104	296	1208	227	516	428
Standard Domestic (20kVA 1 Phase) - With Off Peak	BD20Q	516	1248	5995	843	2303	2082
10% Fixed Charge Option - All Peak	BDL20P	66	188	426	80	182	151
10% Fixed Charge Option - With Off Peak	BDL20Q	163	394	1052	148	404	365
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	BDL08P	2	3	10	2	4	4
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	BDL08Q	3	4	15	2	6	5
<b>Non-Domestic Single Phase</b>							
Street Lights (1 Phase)	BS001L	352	26.4	84.6	15.86	36.1	30.0
1 kVA 1 Phase - All Peak	BS001P	1	1	10	2	4	3
8 kVA 1 Phase - All Peak	BS008P	12	17	70	13	30	25

8 kVA 1 Phase - With Off Peak	BS008Q	0	0	0	0	0	0
20 kVA 1 Phase - All Peak	BS020P	30	85	349	65	149	124
20 kVA 1 Phase - With Off Peak	BS020Q	2	5	23	3	9	8
<b>Non-Domestic Three Phase</b>							
15 kVA 3 Phase - All Peak	BT015P	4	11	44	8	19	15
15 kVA 3 Phase - With Off Peak	BT015Q	0	0	0	0	0	0
30 kVA 3 Phase - All Peak	BT030P	34	206	598	112	255	212
30 kVA 3 Phase - With Off Peak	BT030Q	6	31	106	15	41	37
50 kVA 3 Phase - All Peak	BT050P	14	175	635	119	271	225
50 kVA 3 Phase - With Off Peak	BT050Q	4	43	182	26	70	63
75 kVA 3 Phase - All Peak	BT075P	8	186	541	101	231	192
75 kVA 3 Phase - With Off Peak	BT075Q	0	0	0	0	0	0
100 kVA 3 Phase - All Peak	BT100P	3	111	323	61	138	114
100 kVA 3 Phase - With Off Peak	BT100Q	0	0	0	0	0	0

## 6. COST ALLOCATION TO CAPACITY GROUPS

### 6.1 Transmission Charges

Transmission charges reflect the Transpower grid asset management costs incurred by Electricity Invercargill Limited based on the Invercargill point of supply.

Transpower transmission charges have two components:

- (a) Connection charge
- (b) Interconnection charge

#### 6.1.1 Connection Charge

The Transpower connection charge is based on the Transpower local assets utilised to provide the supply.

In the case of the Invercargill point of supply the connection charge is split between The Power Company Limited and Electricity Invercargill Limited, each network is connected to the transmission grid there.

The total connection charge for Invercargill is \$1,102,818. Electricity Invercargill's share of the connection charge is \$720,930.

The connection charges which include the Transpower new investment charges are applied to customers on the basis of the following allocation:

Winter Peak Demand	70%
Winter Peak Energy	20%
Winter Day Energy	10%

For individual customers this equates to:

- (a) \$7.89 per kVA Peak Demand.
- (b) \$3.44 per Winter Peak MWh.
- (c) \$1.16 per Winter Day MWh

After the revenue from the individual customers has been subtracted from the total the remaining group customer charges are as follows:

- (a) \$7.62 per kVA Peak Demand
- (b) \$3.75 per Winter Peak MWh
- (c) \$1.26 per Winter Day MWh

The difference in the two sets of rates above reflects the difference in losses and diversity factors between the large individual customers and the smaller customer groups.

## 6.1.2 Interconnection Charge

This charge is based on the average of the coincident 100 highest peak demands recorded for Transpower's lower south island region during the assessment period 1 September to 31 August each year at the Invercargill grid exit point.

Electricity Invercargill's share of the Invercargill interconnection charge of \$8,499,855 is \$5,445,796.

The interconnection charges are applied to customers on the basis of the following allocation:

### Half Hour Metered:

Coincident peak with lower south island region 100%

### Non Half Hour Metered:

Winter Peak Demand	60%
Winter Peak Energy	30%
Winter Day Energy	10%

For individual non half hour metered customers this equates to the following charges:

- (a) \$51.10 per kVA Winter Peak Demand.
- (b) \$38.98 per Winter Peak MWh.
- (c) \$8.76 per Winter Day MWh.

For individual Half Hour Metered customers this equates to the following charges:

Point of Supply	Per kVA Coincident Peak Demand
Invercargill	114.47

After the revenue from the individual customers has been subtracted from the total the remaining group customer charges are as follows:

	Per kVA Peak Demand	Per Winter Peak MWh	Per Winter Day MWh
Electricity Invercargill	\$45.36	\$39.07	\$8.78

The differences in the above rates reflect the differences in losses and diversity factors between the large individual customers and the small customer groups.

### 6.1.3 Transpower Revenue for Individual Customers

The total Transpower revenue for individual customers grouped by capacity is shown in the following table:

Consumer Capacity kVA	Number of Connections	Transpower Revenue per Consumer Group	Average Line Charge
30	2	\$4,307.81	\$2,153.90
50	9	\$20,079.45	\$2,231.05
75	14	\$43,861.38	\$3,132.96
100	13	\$41,670.02	\$3,205.39
150	42	\$174,816.17	\$4,162.29
200	34	\$186,459.50	\$5,484.10
300	33	\$329,439.07	\$9,983.00
500	19	\$356,717.62	\$18,774.61
750	7	\$142,121.32	\$20,303.05
1,000	3	\$73,248.87	\$24,416.29
1,250	1	\$16,724.97	\$16,724.97
1,750	1	\$113,010.84	\$113,010.84

## 6.1.4 Transpower Revenue for Group Customers

The total Transpower revenue for group customers is shown in the following table.

Consumer Capacity	Code	Number of Connections	Transpower Charge	Transpower Revenue per Consumer Group
<b>Domestic</b>				
Small Domestic (8kVA 1 Phase) - All Peak	ND08P	14	\$135.96	\$1,903.41
Small Domestic (8kVA 1 Phase) - With Off Peak	ND08Q	136	\$113.24	\$15,400.57
Standard Domestic (20kVA 1 Phase) - All Peak	ND20P	533	\$271.92	\$144,930.89
Standard Domestic (20kVA 1 Phase) - With Off Peak	ND20Q	9690	\$226.48	\$2,194,580.55
10% Fixed Charge Option - All Peak	NDL20P	249	\$204.57	\$50,938.89
10% Fixed Charge Option - With Off Peak	NDL20Q	3567	\$171.82	\$612,887.17
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	NDL08P	6	\$129.22	\$775.34
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	NDL08Q	69	\$107.77	\$7,436.39
<b>Non-Domestic Single Phase</b>				
Street Lights (1 Phase)	NS001L	4221	\$6.48	\$27,353.54
1 kVA 1 Phase - All Peak	NS001P	32	\$153.25	\$4,904.05
8 kVA 1 Phase - All Peak	NS008P	165	\$135.96	\$22,433.02
8 kVA 1 Phase - With Off Peak	NS008Q	12	\$113.24	\$1,358.87
20 kVA 1 Phase - All Peak	NS020P	267	\$271.92	\$72,601.40
20 kVA 1 Phase - With Off Peak	NS020Q	106	\$226.48	\$24,006.76

<b>Non-Domestic Three Phase</b>				
15 kVA 3 Phase - All Peak	NT015P	62	\$254.92	\$15,805.08
15 kVA 3 Phase - With Off Peak	NT015Q	10	\$212.32	\$2,123.24
30 kVA 3 Phase - All Peak	NT030P	520	\$504.37	\$262,270.73
30 kVA 3 Phase - With Off Peak	NT030Q	145	\$421.67	\$61,142.58
50 kVA 3 Phase - All Peak	NT050P	286	\$1,135.94	\$324,878.04
50 kVA 3 Phase - With Off Peak	NT050Q	72	\$947.38	\$68,211.57
75 kVA 3 Phase - All Peak	NT075P	108	\$1,937.98	\$209,301.94
75 kVA 3 Phase - With Off Peak	NT075Q	14	\$1,620.24	\$22,683.33
100 kVA 3 Phase - All Peak	NT100P	61	\$3,085.50	\$188,215.71
100 kVA 3 Phase - With Off Peak	NT100Q	8	\$2,579.62	\$20,636.94
<b>EIL Bluff</b>				
<b>Domestic</b>				
Small Domestic (8kVA 1 Phase) - All Peak	BD08P	2	\$135.96	\$271.92
Small Domestic (8kVA 1 Phase) - With Off Peak	BD08Q	5	\$113.24	\$566.20
Standard Domestic (20kVA 1 Phase) - All Peak	BD20P	104	\$271.92	\$28,279.20
Standard Domestic (20kVA 1 Phase) - With Off Peak	BD20Q	516	\$226.48	\$116,863.11
10% Fixed Charge Option - All Peak	BDL20P	66	\$218.04	\$14,390.78
10% Fixed Charge Option - With Off Peak	BDL20Q	163	\$182.75	\$29,788.73
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	BDL08P	2	\$129.22	\$258.45
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	BDL08Q	3	\$107.77	\$323.32
<b>Non-Domestic Single Phase</b>				
Street Lights (1 Phase)	BS001L	352	\$6.48	\$2,281.08
1 kVA 1 Phase - All Peak	BS001P	1	\$153.25	\$153.25

8 kVA 1 Phase - All Peak	BS008P	12	\$135.96	\$1,631.49
8 kVA 1 Phase - With Off Peak	BS008Q	0	\$113.24	\$0.00
20 kVA 1 Phase - All Peak	BS020P	30	\$271.92	\$8,157.46
20 kVA 1 Phase - With Off Peak	BS020Q	2	\$226.48	\$452.96
<b>Non-Domestic Three Phase</b>				
15 kVA 3 Phase - All Peak	BT015P	4	\$254.92	\$1,019.68
15 kVA 3 Phase - With Off Peak	BT015Q	0	\$212.32	\$0.00
30 kVA 3 Phase - All Peak	BT030P	34	\$504.37	\$17,148.47
30 kVA 3 Phase - With Off Peak	BT030Q	6	\$421.67	\$2,530.04
50 kVA 3 Phase - All Peak	BT050P	14	\$1,135.94	\$15,903.12
50 kVA 3 Phase - With Off Peak	BT050Q	4	\$947.38	\$3,789.53
75 kVA 3 Phase - All Peak	BT075P	8	\$1,937.98	\$15,503.85
75 kVA 3 Phase - With Off Peak	BT075Q	0	\$1,620.24	\$0.00
100 kVA 3 Phase - All Peak	BT100P	3	\$3,085.50	\$9,256.51
100 kVA 3 Phase - With Off Peak	BT100Q	0	\$2,579.62	\$0.00

## 6.2 Subtransmission Charges

Subtransmission charges are based on the subtransmission costs (66kV and 33kV network) and the zone substation costs.

There are two components making up the subtransmission charges:

- (a) Supply charge
- (b) Maintenance charge

### 6.2.1 Supply Charge

The supply charge is based on the required return on the assets by the shareholder and depreciation.

All the costs of the subtransmission network and zone substations are averaged and the use charge allocated on the basis of the relative asset value compared to the total network asset value.

The supply charge for the EIL city area zone substations is \$1,111,830 and for the 33kV line and cables is \$505,377 giving a total supply charge for EIL City of \$1,617,208

As EIL also supplies power to Bluff through The Power Company Limited 33kV line and Bluff zone substation there is a supply charge of \$462,554 for this zone substation and subtransmission lines.

The supply charge totalling \$1,617,208 for EIL City and \$462,554 for EIL Bluff is allocated across all customers on the following basis:

Winter Peak Demand	70%
Winter Peak energy	20%
Winter Day energy	10%

### 6.2.2 Maintenance Charge

The maintenance charges for the EIL city zone substations and subtransmission system total \$354,233 and for EIL Bluff total \$77,666

The total subtransmission maintenance charges of \$431,899 are allocated across the customers on the following basis:

Total Energy	50%
Winter Peak Demand	50%

In this case the commercial customers incur a weighting compared to domestic customers of 1.5:1. This reflects the higher level of importance for commercial customers of the maintenance to the network. This weighted ratio only applies to the total energy components, i.e. 50% of the cost.

### 6.2.3 Subtransmission Charges for Individual Customers above 100 kVA

#### ***EIL City***

(a)	Subtransmission Supply charge	\$19.01 per kVA Winter Peak Demand
(b)	Subtransmission Supply charge	\$8.30 per Winter Peak MWh
(c)	Subtransmission Supply charge	\$2.81 per Winter Day MWh
(e)	Subtransmission Maintenance charge	\$0.70 per Commercial Total MWh
(f)	Subtransmission Maintenance charge	\$2.97 per kVA Winter Peak Demand

#### ***EIL Bluff***

(a)	Subtransmission Supply charge	\$69.74 per kVA Winter Peak Demand
(b)	Subtransmission Supply charge	\$30.42 per Winter Peak MWh
(c)	Subtransmission Supply charge	\$8.67 per Winter Day MWh
(e)	Subtransmission Maintenance charge	\$2.38 per Commercial Total MWh
(f)	Subtransmission Maintenance charge	\$8.82 per kVA Winter Peak Demand

### 6.2.4 Subtransmission Charges for Group Customers

After the revenue from the individual customers has been subtracted from the total the remaining group customer charges are as follows:

#### ***EIL City***

(a)	Subtransmission Supply charge	\$18.45 per kVA Winter Peak Demand
(b)	Subtransmission Supply charge	\$8.97 per Winter Peak MWh
(c)	Subtransmission Supply charge	\$3.04 per Winter Day MWh
(d)	Subtransmission Maintenance charge	\$0.72 per Domestic Total MWh
(e)	Subtransmission Maintenance charge	\$0.72 per Commercial Total MWh
(f)	Subtransmission Maintenance charge	\$2.79 per kVA Winter Peak Demand

#### ***EIL Bluff***

(a)	Subtransmission Supply charge	\$74.68 per kVA Winter Peak Demand
(b)	Subtransmission Supply charge	\$37.11 per Winter Peak MWh
(c)	Subtransmission Supply charge	\$11.43 per Winter Day MWh
(d)	Subtransmission Maintenance charge	\$1.13 per Domestic Total MWh
(e)	Subtransmission Maintenance charge	\$1.13 per Commercial Total MWh
(f)	Subtransmission Maintenance charge	\$5.55 per kVA Winter Peak Demand

## 6.3 Distribution Charges

Distribution charges are based on the distribution costs which include 11,000 and 400V line and cables and distribution substations and transformers.

There are three components making up the distribution charges

- (a) Supply charge
- (b) Maintenance charge
- (c) Transformer charge

In calculating the distribution charges an allowance is made for the fact that customers above 150kVA have normally less use of the 400V network than smaller customers, i.e. they often have their own local transformer or exclusive supply cables from a transformer. The distribution charges are multiplied by a factor of 60% for both EIL City and EIL Bluff.

### 6.3.1 Supply Charge

The supply charge is based on the use charge which is the required return on the assets by the shareholder and depreciation.

All the costs of the distribution network are averaged and the supply charge is allocated on the basis of the relative asset value compared to the total network asset value.

The supply charges are as follows:

- (a) Overhead lines, Underground Cables & Distribution Substations

EIL City	\$7,277,434
EIL Bluff	\$303,226

- (b) The supply charge is allocated across all customers on the following basis:

Contract Capacity	70%
Winter Peak Energy	20%
Winter Day Energy	10%

### 6.3.2 Maintenance Charge

The maintenance charges are as follows:

- (a) Overhead lines, Underground Cables & Distribution Substations

EIL City	\$1,062,698
EIL Bluff	\$167,794

- (b) The maintenance portion is allocated across all customers on the following basis:

Total Energy	50%
Contract Capacity	50%

With respect to the maintenance charges, the commercial customers incur a weighting compared to domestic customers of 1.5:1. This reflects a higher level of importance for commercial customers of the maintenance to the network. This weighted ratio only applies to the total energy components, i.e. 50% of the cost.

### 6.3.3 Distribution Transformers

- (a) The transformer charges are as follows:

EIL Supply	\$909,679
EIL Maintenance	\$279,657

- (b) The transformer portion of the distribution charges is allocated across consumers on the following basis:

Number of transformers and transformer capacity 100%.

### 6.3.4 Distribution Charges for Individual Customers

#### *EIL City*

(a) Distribution Supply charge	\$39.49 per kVA Contract Capacity
(b) Distribution Supply charge	\$37.35 per Winter Peak MWh
(c) Distribution Supply charge	\$7.54 per Winter Day MWh
(d) Distribution Maintenance charge	\$2.09 per Commercial Total MWh
(e) Distribution Maintenance charge	\$4.12 per kVA Contract Capacity

#### *EIL Bluff*

(a) Distribution Supply charge	\$23.58 per kVA Contract Capacity
(b) Distribution Supply charge	\$20.56 per Winter Peak MWh
(c) Distribution Supply charge	\$3.99 per Winter Day MWh
(d) Distribution Maintenance charge	\$3.46 per Commercial Total MWh
(e) Distribution Maintenance charge	\$9.32 per kVA Contract Capacity

#### Transformer Charges

(a) Distribution Transformer supply charge	\$373.48 per Transformer
(b) Distribution Transformer maintenance charge	\$634.14 per Transformer

The Transformer charge of \$373.48 per transformer is multiplied by a price ratio depending on the size of the transformer. The ratios for the different sized transformers are shown below.

Transformer Size	Ratio applied
15kVA Transformer	1.00
30kVA Transformer	1.44
50kVA Transformer	1.88
75kVA Transformer	2.30
100kVA Transformer	2.80
150kVA Transformer	3.50
200kVA Transformer	4.40
300kVA Transformer	5.16
500kVA Transformer	7.20
750kVA Transformer	8.80
1,000kVA Transformer	9.96
1,250kVA Transformer	13.20
1,500kVA Transformer	15.60

### 6.3.5 Distribution Charges for Group Customers

After the revenue from the individual customers has been subtracted from the total the remaining group customer charges are as follows:

#### ***EIL City***

(a)	Distribution Supply charge	\$41.98 per kVA Contract Capacity
(b)	Distribution Supply charge	\$44.95 per Winter Peak MWh
(c)	Distribution Supply charge	\$14.17 per Winter Day MWh
(d)	Distribution Maintenance charge	\$2.44 per Domestic Total MWh
(e)	Distribution Maintenance charge	\$2.44 per Commercial Total MWh
(f)	Distribution Maintenance charge	\$4.27 per kVA Contract Capacity
(g)	Distribution Transformer charge	\$6.76 per kVA Contract Capacity

#### ***EIL Bluff***

(a)	Distribution Supply charge	\$24.48 per kVA Contract Capacity
(b)	Distribution Supply charge	\$25.49 per Winter Peak MWh
(c)	Distribution Supply charge	\$8.32 per Winter Day MWh
(d)	Distribution Maintenance charge	\$5.19 per Domestic Total MWh
(e)	Distribution Maintenance charge	\$5.19 per Commercial Total MWh
(f)	Distribution Maintenance charge	\$9.03 per kVA Contract Capacity
(g)	Distribution Transformer charge	\$6.76 per kVA Contract Capacity

The model applies a 2.5% discount for the single phase group customers compared to three phase customers of similar size. This is to reflect the reduced investment in network assets for single phase customers.

## 6.4 Powernet Overheads

The PowerNet overhead charges are based on those costs which cannot be allocated directly to either capital or maintenance.

These costs include the following:

- (a) Executive Management
- (b) Directors Fees
- (c) System Control
- (d) Miscellaneous overheads, e.g. buildings, rates, etc.

These charges are split equally over the total customer base.

The total overhead costs are \$1,577,837.

The charge per customer is \$90.86.

## 6.5 Powernet Charges

### 6.5.1 PowerNet Revenue for Individual Customers

The total PowerNet revenue for individual customers grouped by capacity is shown in the following table.

Consumer Capacity kVA	Subtransmission Charge	Distribution Charge	PowerNet Overhead Charge	Total PowerNet Charge
30	\$421.35	\$2,298.50	\$181.73	\$2,901.58
50	\$4,750.24	\$20,574.76	\$817.78	\$26,142.78
75	\$10,538.13	\$46,973.27	\$1,272.10	\$58,783.51
100	\$10,882.55	\$35,785.51	\$1,181.24	\$47,849.30
150	\$74,038.21	\$177,539.41	\$3,816.31	\$255,393.93
200	\$65,069.96	\$195,195.88	\$3,089.39	\$263,355.24
300	\$93,006.40	\$283,722.60	\$2,998.53	\$379,727.52
500	\$115,728.98	\$274,914.56	\$1,726.43	\$392,369.96
750	\$66,140.18	\$144,747.33	\$636.05	\$211,523.55
1,000	\$20,016.54	\$95,023.87	\$272.59	\$115,313.01
1,250	\$5,292.47	\$39,879.18	\$90.86	\$45,262.52
1,750	\$127,321.68	\$55,997.79	\$90.86	\$183,410.34

## 6.5.2 PowerNet Revenue for Group Customers

The total PowerNet revenue for group customers is shown in the following table.

Consumer Capacity	Code	Number of Connections	Sub transmission Charge	Distribution Charge	PowerNet Overheads	Total PowerNet Revenue
<b>Domestic</b>						
Small Domestic (8kVA 1 Phase) - All Peak	ND08P	14	\$677.58	\$3,994.88	\$1,272.10	\$5,944.56
Small Domestic (8kVA 1 Phase) - With Off Peak	ND08Q	136	\$5,643.51	\$30,108.14	\$12,357.57	\$48,109.22
Standard Domestic (20kVA 1 Phase) - All Peak	ND20P	533	\$51,592.68	\$333,118.63	\$48,430.77	\$433,142.08
Standard Domestic (20kVA 1 Phase) - With Off Peak	ND20Q	9690	\$804,200.18	\$4,919,417.10	\$880,476.83	\$6,604,094.10
10% Fixed Charge Option - All Peak	NDL20P	249	\$19,070.93	\$35,687.34	\$22,625.26	\$77,383.52
10% Fixed Charge Option - With Off Peak	NDL20Q	3567	\$233,351.60	\$367,941.90	\$324,113.61	\$925,407.10
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	NDL08P	6	\$278.27	\$1,009.80	\$545.19	\$1,833.25
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	NDL08Q	69	\$2,742.00	\$8,102.59	\$6,269.65	\$17,114.23
<b>Non-Domestic Single Phase</b>						
Street Lights (1 Phase)	NS001L	4221	\$9,900.06	\$164,644.84	\$9,003.26	\$183,548.16
1 kVA 1 Phase - All Peak	NS001P	32	\$1,642.58	\$13,016.88	\$2,907.66	\$17,567.12
8 kVA 1 Phase - All Peak	NS008P	165	\$7,985.73	\$47,082.47	\$14,992.64	\$70,060.84
8 kVA 1 Phase - With Off Peak	NS008Q	12	\$497.96	\$2,656.60	\$1,090.37	\$4,244.93
20 kVA 1 Phase - All Peak	NS020P	267	\$25,844.74	\$166,871.81	\$24,260.82	\$216,977.37
20 kVA 1 Phase - With Off Peak	NS020Q	106	\$8,797.24	\$53,814.06	\$9,631.64	\$72,242.93
<b>Non-Domestic Three Phase</b>						

15 kVA 3 Phase - All Peak	NT015P	62	\$5,626.31	\$33,172.32	\$5,633.60	\$44,432.23
15 kVA 3 Phase - With Off Peak	NT015Q	10	\$778.06	\$4,215.41	\$908.64	\$5,902.11
30 kVA 3 Phase - All Peak	NT030P	520	\$95,531.31	\$422,507.69	\$47,249.53	\$565,288.53
30 kVA 3 Phase - With Off Peak	NT030Q	145	\$22,799.84	\$95,889.54	\$13,175.35	\$131,864.73
50 kVA 3 Phase - All Peak	NT050P	286	\$116,597.20	\$611,296.93	\$25,987.24	\$753,881.37
50 kVA 3 Phase - With Off Peak	NT050Q	72	\$25,151.45	\$130,855.85	\$6,542.24	\$162,549.54
75 kVA 3 Phase - All Peak	NT075P	108	\$76,237.59	\$388,614.19	\$9,813.36	\$474,665.14
75 kVA 3 Phase - With Off Peak	NT075Q	14	\$8,458.53	\$42,978.52	\$1,272.10	\$52,709.15
100 kVA 3 Phase - All Peak	NT100P	61	\$68,556.99	\$292,999.64	\$5,542.73	\$367,099.37
100 kVA 3 Phase - With Off Peak	NT100Q	8	\$7,695.44	\$33,766.04	\$726.92	\$42,188.39
<b>EIL Bluff</b>						
<b>Domestic</b>						
Small Domestic (8kVA 1 Phase) - All Peak	BD08P	2	\$353.92	\$313.57	\$181.73	\$849.22
Small Domestic (8kVA 1 Phase) - With Off Peak	BD08Q	5	\$750.10	\$564.30	\$454.32	\$1,768.72
Standard Domestic (20kVA 1 Phase) - All Peak	BD20P	104	\$36,807.76	\$38,257.86	\$9,449.91	\$84,515.53
Standard Domestic (20kVA 1 Phase) - With Off Peak	BD20Q	516	\$154,820.59	\$149,966.46	\$46,886.07	\$351,673.12
10% Fixed Charge Option - All Peak	BDL20P	66	\$19,670.88	\$1,554.37	\$5,997.06	\$27,222.30
10% Fixed Charge Option - With Off Peak	BDL20Q	163	\$41,222.16	\$2,046.84	\$14,810.91	\$58,079.91
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	BDL08P	2	\$339.95	\$89.40	\$181.73	\$611.08
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	BDL08Q	3	\$432.38	\$39.12	\$272.59	\$744.10
<b>Non-Domestic Single Phase</b>						
Street Lights (1 Phase)	BS001L	352	\$3,033.18	\$11,033.67	\$1,239.70	\$15,306.55
1 kVA 1 Phase - All Peak	BS001P	1	\$184.23	\$273.88	\$90.86	\$548.97
8 kVA 1 Phase - All Peak	BS008P	12	\$2,123.52	\$1,881.44	\$1,090.37	\$5,095.33
8 kVA 1 Phase - With Off Peak	BS008Q	0	\$0.00	\$0.00	\$0.00	\$0.00

20 kVA 1 Phase - All Peak	BS020P	30	\$10,617.62	\$11,035.92	\$2,725.93	\$24,379.48
20 kVA 1 Phase - With Off Peak	BS020Q	2	\$600.08	\$581.27	\$181.73	\$1,363.07
<b>Non-Domestic Three Phase</b>						
15 kVA 3 Phase - All Peak	BT015P	4	\$1,327.20	\$1,175.93	\$363.46	\$2,866.60
15 kVA 3 Phase - With Off Peak	BT015Q	0	\$0.00	\$0.00	\$0.00	\$0.00
30 kVA 3 Phase - All Peak	BT030P	34	\$22,990.36	\$10,881.42	\$3,089.39	\$36,961.17
30 kVA 3 Phase - With Off Peak	BT030Q	6	\$3,441.35	\$1,469.93	\$545.19	\$5,456.47
50 kVA 3 Phase - All Peak	BT050P	14	\$20,918.36	\$14,712.82	\$1,272.10	\$36,903.28
50 kVA 3 Phase - With Off Peak	BT050Q	4	\$5,067.79	\$3,599.29	\$363.46	\$9,030.53
75 kVA 3 Phase - All Peak	BT075P	8	\$20,785.47	\$13,647.99	\$726.92	\$35,160.38
75 kVA 3 Phase - With Off Peak	BT075Q	0	\$0.00	\$0.00	\$0.00	\$0.00
100 kVA 3 Phase - All Peak	BT100P	3	\$12,409.88	\$5,371.59	\$272.59	\$18,054.07
100 kVA 3 Phase - With Off Peak	BT100Q	0	\$0.00	\$0.00	\$0.00	\$0.00

## 6.6 Loss Constraint Excess Payment

Loss Constraint Excess Payments are credits rebated by Transpower as a result of money received from the Clearing Manager for the Wholesale Electricity Market and are excluded from the Transmission Charges. The payments are allocated each month to the retailers on the basis of total energy consumption for the month in which the rebate applied.

## 6.7 Target Revenue Requirement Summary

The below is a summary of our projected revenue for the Transmission costs and PowerNet distribution price components broken down by the two customer group categories for the 2014 -15 year. We also outline the change in revenue compared with the previous year:

Year 2014-15	Group Customers	Individual	Total
PowerNet Distribution	\$11,918,421	\$1,982,033	\$13,900,454
Transmission	\$ 4,664,268,	\$1,502,457	\$ 6,166,725
<b>Total</b>	<b>\$16,582,689</b>	<b>\$ 3,484,490</b>	<b>\$20,067,179</b>

### Revenue from previous year

PowerNet Distribution	\$11,651,483	\$1,866,060	\$13,517,543
Transmission	\$ 3,793,347	\$1,301,868	\$ 5,095,215
<b>Total</b>	<b>\$15,444,830</b>	<b>\$3,167,928</b>	<b>\$18,612,758</b>

The changes in revenues are based on changes to our costs and our allocation of these costs to the customer groups. Other factors that impact on the allocation of costs relate to changes to chargeable quantities and individual customers profile changes as well as contractual changes.

Transmission changes relate to an increase in Transpower's prices and a shift in the interconnection charges top 100 peaks from the spring and summer period to now including more winter months this has resulted in an increase to the average co-incident demand for the interconnection charges having the effect of an overall increase in costs.

PowerNet distribution revenue changes reflect changes in operation and maintenance costs and an adjustment as allowed by the Commerce Commission Default Price-Quality Path which determines the revenue that non-exempt distributors are allowed to recover.

### 6.7.1 Line Charge Revenue for Individual Customers

The line charge revenue for individual customers grouped by capacity is shown in the following table.

Consumer Capacity kVA	Number of Connections	Line Charge Revenue per Consumer Group	Average Line Charge
30	2	\$7,209.39	\$3,604.69
50	9	\$46,222.23	\$5,135.80
75	14	\$102,644.89	\$7,331.78
100	13	\$89,519.31	\$6,886.10
150	42	\$430,210.10	\$10,243.10
200	34	\$449,814.73	\$13,229.85
300	33	\$709,166.59	\$21,489.90
500	19	\$749,087.58	\$39,425.66
750	7	\$353,644.88	\$50,520.70
1000	3	\$188,561.88	\$62,853.96
1250	1	\$61,987.49	\$61,987.49
1750	1	\$296,421.19	\$296,421.19

### 6.7.2 Line Charge Revenue for Group Customers

The line charge revenue for group customers is shown in the following table.

Consumer Capacity	Code	Number of Connections	Fixed Charge per Day	Variable Charge per Day MWh Purchases	Line Charge Revenue per Consumer Group
<b>Domestic</b>					
Small Domestic (8kVA 1 Phase) - All Peak	ND08P	14	\$0.6584	\$70.58	\$7,847.96
Small Domestic (8kVA 1 Phase) - With Off Peak	ND08Q	136	\$0.4579	\$70.58	\$63,509.79
Standard Domestic (20kVA 1 Phase) - All Peak	ND20P	533	\$1.2166	\$70.58	\$578,072.98
Standard Domestic (20kVA 1 Phase) - With Off Peak	ND20Q	9690	\$0.8447	\$70.58	\$8,798,674.65
10% Fixed Charge Option - All Peak	NDL20P	249	\$0.1500	\$114.20	\$128,322.41
10% Fixed Charge Option - With Off Peak	NDL20Q	3567	\$0.0000	\$114.20	\$1,538,294.27
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	NDL08P	6	\$0.1500	\$94.22	\$2,608.60
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	NDL08Q	69	\$0.0000	\$94.22	\$24,550.62
<b>Non-Domestic Single Phase</b>					
Street Lights (1 Phase)	NS001L	4221	\$0.1006	\$70.58	\$210,901.70

1 kVA 1 Phase - All Peak	NS001P	32	\$0.4723	\$70.58	\$22,471.17
8 kVA 1 Phase - All Peak	NS008P	165	\$0.6584	\$70.58	\$92,493.86
8 kVA 1 Phase - With Off Peak	NS008Q	12	\$0.4579	\$70.58	\$5,603.80
20 kVA 1 Phase - All Peak	NS020P	267	\$1.2166	\$70.58	\$289,578.77
20 kVA 1 Phase - With Off Peak	NS020Q	106	\$0.8447	\$70.58	\$96,249.69
<b>Non-Domestic Three Phase</b>					
15 kVA 3 Phase - All Peak	NT015P	62	\$1.0167	\$70.58	\$60,237.31
15 kVA 3 Phase - With Off Peak	NT015Q	10	\$0.6584	\$70.58	\$8,025.35
30 kVA 3 Phase - All Peak	NT030P	520	\$1.7034	\$70.58	\$827,559.26
30 kVA 3 Phase - With Off Peak	NT030Q	145	\$1.1593	\$70.58	\$193,007.31
50 kVA 3 Phase - All Peak	NT050P	286	\$3.4781	\$70.58	\$1,078,759.41
50 kVA 3 Phase - With Off Peak	NT050Q	72	\$2.3618	\$70.58	\$230,761.11
75 kVA 3 Phase - All Peak	NT075P	108	\$7.1424	\$70.58	\$683,967.08
75 kVA 3 Phase - With Off Peak	NT075Q	14	\$5.1959	\$70.58	\$75,392.48
100 kVA 3 Phase - All Peak	NT100P	61	\$8.6882	\$70.58	\$555,315.08
100 kVA 3 Phase - With Off Peak	NT100Q	8	\$6.2980	\$70.58	\$62,825.33
<b>EIL Bluff</b>					
<b>Domestic</b>					
Small Domestic (8kVA 1 Phase) - All Peak	BD08P	2	\$0.6584	\$70.58	\$1,121.14
Small Domestic (8kVA 1 Phase) - With Off Peak	BD08Q	5	\$0.4579	\$70.58	\$2,334.92
Standard Domestic (20kVA 1 Phase) - All Peak	BD20P	104	\$1.2166	\$70.58	\$112,794.73
Standard Domestic (20kVA 1 Phase) - With Off Peak	BD20Q	516	\$0.8447	\$70.58	\$468,536.24
10% Fixed Charge Option - All Peak	BDL20P	66	\$0.1500	\$114.20	\$34,013.17
10% Fixed Charge Option - With Off Peak	BDL20Q	163	\$0.0000	\$114.20	\$70,294.92
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	BDL08P	2	\$0.1500	\$94.22	\$869.53
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	BDL08Q	3	\$0.0000	\$94.22	\$1,067.42
<b>Non-Domestic Single Phase</b>					
Street Lights (1 Phase)	BS001L	352	\$0.1006	\$70.58	\$17,587.63
1 kVA 1 Phase - All Peak	BS001P	1	\$0.4723	\$70.58	\$702.22
8 kVA 1 Phase - All Peak	BS008P	12	\$0.6584	\$70.58	\$6,726.83
8 kVA 1 Phase - With Off Peak	BS008Q	0	\$0.4579	\$70.58	\$0.00
20 kVA 1 Phase - All Peak	BS020P	30	\$1.2166	\$70.58	\$32,536.94
20 kVA 1 Phase - With Off Peak	BS020Q	2	\$0.8447	\$70.58	\$1,816.03
<b>Non-Domestic Three Phase</b>					
15 kVA 3 Phase - All Peak	BT015P	4	\$1.0167	\$70.58	\$3,886.28
15 kVA 3 Phase - With Off Peak	BT015Q	0	\$0.6584	\$70.58	\$0.00
30 kVA 3 Phase - All Peak	BT030P	34	\$1.7034	\$70.58	\$54,109.64
30 kVA 3 Phase - With Off Peak	BT030Q	6	\$1.1593	\$70.58	\$7,986.51

50 kVA 3 Phase - All Peak	BT050P	14	\$3.4781	\$70.58	\$52,806.40
50 kVA 3 Phase - With Off Peak	BT050Q	4	\$2.3618	\$70.58	\$12,820.06
75 kVA 3 Phase - All Peak	BT075P	8	\$7.1424	\$70.58	\$50,664.23
75 kVA 3 Phase - With Off Peak	BT075Q	0	\$5.1959	\$70.58	\$0.00
100 kVA 3 Phase - All Peak	BT100P	3	\$8.6882	\$70.58	\$27,310.58
100 kVA 3 Phase - With Off Peak	BT100Q	0	\$6.2980	\$70.58	\$0.00

## 7. FIXED AND VARIABLE CHARGES

The application of fixed and variable charges is not based on the derivation of the line charge but is an application of the line charge to the end-use consumer. The objectives behind the fixed and variable charges are as follows:

- (a) The 50:50 fixed: variable line charge is a compromise between a totally fixed charge which would benefit the large consumer within a load group and a totally variable charge which would benefit the small consumer within a load group.
- (b) As stated above, the fixed and variable charge allows the larger consumer in a load group to pay more which reflects to some extent their reduced diversity on the maximum demands seen at sub transmission and transmission level. Although the distribution network in the vicinity of the premises has to have enough capacity to supply the full capacity of the installation, the remainder of the network is designed to take into account the diversity between consumer demands. As a general rule, the less energy a consumer uses, the greater the diversity, hence the less capital investment required to supply. A totally fixed line charge does not take this into account so there would need to be more load sub-groups such as very small, small, medium, large and very large domestic consumers besides the existing All Peak and With Off Peak categories.
- (c) It is important to note that the variable charge is on daytime energy only, so domestic consumers with large night loads, such as storage or water heating, do not pay extra as this consumption is utilising network assets, the capacity of which is designed on the basis of and costs recovered by the peak load in daytime hours. This encourages better utilisation of the network and less capital investment.
- (d) Retailers may directly pass through a totally fixed charge to consumers.
- (e) It is a means whereby the line owner can share the risk of climatic variations and be responsive to changes in the local economy. It has been well received in the commercial market that when a consumer has a production downturn or invests in energy conservation measures, there is an immediate response through a reduction in the variable charges.
- (f) Consumers also have the opportunity to shift load to night time to receive immediate benefits.
- (g) If a consumer is expanding the business, the variable charges mean that the line owner can receive some immediate extra revenue and it can also cushion the increase in line charges for the following year.

The practical application of a variable component of the line charge for the group consumers resulted in a necessity for a uniform variable charge and individual fixed charges for each segment.

The variable charge component is based on daytime energy usage, i.e. between 07:00 and 23:00 hours. Hence, night time consumption does not contribute directly to the line charge account.

## **8. NON- STANDARD CONTRACTS**

PowerNet has a standard methodology for the determination of line charges for large customers, these line charges are charged to the customer via an interposed basis with the energy retailer.

In rare cases the standard methodology may not fully recover the return and operating costs of the large capital expenditure required in supplying these customers. These customers may also have enhanced security arrangements. In these situations where customers have significant capital contributions, robust commercial contracts incorporating prudential requirements are prudent to mitigate the risk of these assets being stranded. These contracts can also assist in avoiding uneconomic by-pass of the network when negotiating commercial arrangements and encourage growth within the network.

There are currently no ICP's on non-standard contracts.

### **Line Services Interruptions**

Customers on non-standard contracts can contract to have an N-1 security arrangement, this is where the customer has an alternative supply to their site from the substation should their normal supply route be interrupted, this can be an automatic or manual change over process. Should customers choose to have the additional security of supply, their line charges will reflect the additional cost.

Customers on non-standard contracts who have standard security arrangements are subject to the same restoration arrangements as customers on standard contracts.

## 9. DISTRIBUTED GENERATION

PowerNet’s line pricing methodology and Part 6 of the Electricity Industry Participation Code 2010 applies to Distributed Generation connected to the electricity network for varying capacities. Currently there is no Distributed Generation connected to the network.

In certain situations it will be possible to connect Distributed Generation to the network downstream of the meter at a low capacity without modifications to the electricity network, in which case a standard off take Line Charge will be required to be paid to PowerNet.

In other situations there may be incremental costs incurred by PowerNet due to investigation and network modifications required. As with all customers seeking connection to the PowerNet electricity network where incremental costs are incurred an upfront capital contribution may be required to be paid.

For large capacity Distributed Generation options may exist to meet incremental costs either through payment of an upfront capital contribution and /or entering into a New Investment Agreement and / or Delivery Services Agreement with appropriate prudential security. A normal line charge will also apply according to the installation connection capacity of the Distributed Generators off take.

### Financial Transactions with Distributed Generators

An application fee based on the capacity of connection is payable by the party making application to connect Distributed Generation to the network.

Financial transactions that can occur when Distributed Generation is connected to the electricity network are:

Transaction Types	Capacity
Normal off take Line Charge (paid by the Distributed Generator to PowerNet)	All capacities
Capital Contribution (paid by the Distributed Generator to PowerNet)	All capacities where incremental costs are incurred by the network
New Investment Agreement charge (paid by the Distributed Generator to PowerNet)	For capacities > 500kW
Recovery of High Voltage Direct Current (HVDC) Transmission Charges (paid by the Distributed Generator to PowerNet)	Where the Distributed Generation is injected into the Transmission Network

Avoided Transmission Charges (paid by PowerNet to the Distributed Generator)	Where the Distributed Generation reduces Interconnection Charges at peak times

**Capital Contributions**

Capital Contributions are calculated in accordance with the published Capital Contribution policy.

**New Investment Agreement and / or Delivery Services Agreement Charges**

New Investment Agreement and / or Delivery Services Agreement charges are negotiated with each customer and depend on factors including length of contract, asset lives, sunk costs, recoverable costs, maintenance costs, return on investment and prudential security provided.

**HVDC Transmission Charges**

HVDC Transmission Charges are recovered from Distributed Generators based on their share of the injection demand into the Transmission Network at the grid exit point they inject into.

**Avoided Transmission Charge revenue**

Avoided Transmission Charge revenue is allocated to Distributed Generators based on their generation demand injected into the network coincident with Transpower’s top 100 demand peaks for the lower South Island, under the Electricity Authority Transmission Pricing Methodology (TPM), for the period 1 September to 31 August.

The Transpower interconnection charge is then applied over the period 1 April to 31 March. This lag can result in a one year delay in the allocation of revenue to Distributed Generators.

The revenue paid to Distributed Generators is based on the annual interconnection rate set by Transpower under the TPM. The Avoided Transmission Charge revenue allocation to Distributed Generators is subject to change in the TPM. Currently there are no Distributed Generators receiving this payment.

## 10. COMMERCE COMMISSION INFORMATION DISCLOSURE REQUIREMENTS

In the below table we describe the relevant sections of this methodology where we demonstrate compliance with the key sections of the Commerce Commission’s Electricity Distribution Information Disclosure Determination 2012 requirements:

<b>IDD Section</b>	<b>Key sections of methodology demonstrating compliance</b>
2.4.1 (1)	Sections 2 - 8
2.4.1 (2)	Section 6.7
2.4.1 (3)	Sections 8&9
2.4.1 (4)	Section 3
2.4.2	No changes to the methodology
2.4.3 (1)	Sections 5 & 6
2.4.3 (2)	Section 2
2.4.3 (3)	Sections 6.7
2.4.3 (4)	Section 5 & 6
2.4.3 (5) (a) , (b)	Section 4
2.4.3 (6)	Section 6
2.4.3 (7)	Section 6
2.4.3 (8)	Section 11
2.4.4 (1-3)	N/A
2.4.5 (1) (a) to (c)	Section 8
2.4.5 (2) (a) & (b)	Section 8
2.4.5 (3) (a) & (b)	Section 9

## 11. LINE CHARGE TABLES

### 11.1 Line Charge Breakdown for Individual Customers

ICP Number	Contract Capacity kVA	Trans Power Charge	Subtransmission Charge	Distribution Charge	PowerNet Charge	Total Line Charge	Fixed Charge per annum	Variable Charge per Day MWh
7205085NV-6A2	100	\$2,900.53	\$732.77	\$2,919.20	\$90.86	\$6,643.35	\$3,321.68	\$26.70
721862NV-A61	50	\$6,062.41	\$1,266.41	\$4,043.34	\$90.86	\$11,463.03	\$5,731.51	\$21.96
721876NV-1C6	200	\$2,697.98	\$431.84	\$4,874.75	\$90.86	\$8,095.43	\$4,047.72	\$59.55
7227011NV-2C2	300	\$4,002.58	\$1,002.93	\$6,561.58	\$90.86	\$11,657.96	\$5,828.98	\$57.53
722703NV-43B	200	\$6,328.12	\$1,225.56	\$5,881.22	\$90.86	\$13,525.77	\$6,762.88	\$28.89
722709NV-6AA	30	\$2,920.06	\$170.47	\$963.35	\$90.86	\$4,144.75	\$2,072.37	\$134.04
7227954NV-421	100	\$1,706.64	\$642.55	\$2,289.84	\$90.86	\$4,729.90	\$2,084.78	\$70.58
7229001NV-OAF	100	\$2,799.92	\$741.86	\$2,599.05	\$90.86	\$6,231.69	\$3,115.85	\$40.08
724179NV-031	100	\$699.54	\$169.83	\$2,220.29	\$90.86	\$3,180.53	\$1,590.26	\$78.25
724187NV-3BD	150	\$3,487.63	\$1,145.33	\$4,471.95	\$90.86	\$9,195.76	(\$3,258.40)	\$70.58
7301102NV-5CA	100	\$12.95	\$36.54	\$2,040.28	\$90.86	\$2,180.64	\$1,090.32	\$2,884.59
7301164NV-BB5	150	\$3,915.82	\$978.68	\$4,431.31	\$90.86	\$9,416.67	\$4,708.33	\$24.98
73015753NV-A0E	150	\$4,928.11	\$1,513.94	\$4,764.37	\$90.86	\$11,297.28	\$5,648.64	\$24.56
730158NV-F40	50	\$1,400.36	\$487.14	\$2,103.94	\$90.86	\$4,082.30	(\$922.41)	\$70.58
7301908NV-756	75	\$3,915.01	\$920.08	\$3,937.60	\$90.86	\$8,863.57	\$4,431.78	\$23.06
7301973NV-CDF	75	\$4,068.13	\$950.97	\$3,947.21	\$90.86	\$9,057.18	\$4,528.59	\$24.33
7302304NV-CA2	150	\$1,640.52	\$584.19	\$3,343.34	\$90.86	\$5,658.92	\$3,451.00	\$70.58
7302313NV-BC5	75	\$1,160.89	\$190.21	\$2,290.97	\$90.86	\$3,732.94	\$1,866.47	\$61.11
730262NV-92A	100	\$2,261.16	\$957.32	\$2,419.45	\$90.86	\$5,728.80	\$3,440.71	\$70.58
7302953NV-36A	300	\$5,551.22	\$935.69	\$7,063.54	\$90.86	\$13,641.32	\$6,820.66	\$37.65

7317032NV-617	200	\$9,362.15	\$2,089.69	\$6,443.83	\$90.86	\$17,986.54	\$8,993.27	\$30.63
731881NV-4FA	200	\$5,829.03	\$1,998.53	\$5,321.30	\$90.86	\$13,239.72	\$3,967.92	\$70.58
733395NV-F13	200	\$2,006.31	\$608.16	\$5,207.06	\$90.86	\$7,912.40	\$1,973.52	\$70.58
733399NV-C0D	150	\$2,683.50	\$533.22	\$3,815.45	\$90.86	\$7,123.03	\$3,561.52	\$33.16
734110NV-971	300	\$9,938.35	\$2,405.99	\$7,809.12	\$90.86	\$20,244.33	\$10,122.17	\$34.90
7341266NV-3A6	150	\$1,568.32	\$215.60	\$3,375.09	\$90.86	\$5,249.88	\$2,624.94	\$55.22
7341272NV-801	150	\$3,731.26	\$729.12	\$4,115.08	\$90.86	\$8,666.33	\$4,333.16	\$35.57
7341276NV-90B	200	\$3,632.03	\$825.60	\$5,371.36	\$90.86	\$9,919.86	\$4,959.93	\$30.69
734165NV-163	750	\$20,513.04	\$5,113.64	\$21,000.81	\$90.86	\$46,718.36	\$23,359.18	\$26.73
7341792NV-7BE	200	\$4,945.37	\$1,137.08	\$5,686.83	\$90.86	\$11,860.15	\$5,930.08	\$26.71
7341793NV-BFB	100	\$4,372.30	\$834.10	\$2,998.32	\$90.86	\$8,295.58	\$4,147.79	\$28.67
734188NV-482	300	\$19,887.40	\$4,306.67	\$11,249.06	\$90.86	\$35,533.99	\$17,767.00	\$22.49
734318NV-162	300	\$4,789.20	\$941.25	\$7,006.45	\$90.86	\$12,827.77	\$6,413.88	\$43.44
734325NV-9C1	150	\$1,376.72	\$431.32	\$3,712.65	\$90.86	\$5,611.56	\$752.68	\$70.58
734326NV-501	200	\$3,769.05	\$1,112.65	\$5,714.60	\$90.86	\$10,687.16	\$3,574.34	\$70.58
734355NV-C9C	300	\$2,477.16	\$829.84	\$6,449.17	\$90.86	\$9,847.04	\$5,236.76	\$70.58
734360NV-62B	75	\$3,112.79	\$1,072.59	\$4,113.16	\$90.86	\$8,389.40	(\$4,535.96)	\$70.58
734424NV-A86	100	\$3,542.78	\$333.56	\$2,470.25	\$90.86	\$6,437.46	\$3,218.73	\$54.43
7344583NV-C71	150	\$694.07	\$243.46	\$3,260.30	\$90.86	\$4,288.69	\$3,190.08	\$70.58
734460NV-929	200	\$5,941.03	\$1,464.92	\$6,231.83	\$90.86	\$13,728.65	\$6,864.33	\$26.31
734470NV-384	300	\$129.92	\$47.68	\$5,890.87	\$90.86	\$6,159.34	\$6,012.14	\$70.58
734802NV-A50	150	\$5,323.77	\$1,826.98	\$4,901.43	\$90.86	\$12,143.06	\$6,071.53	\$34.90
734846NV-9FF	50	\$500.57	\$221.49	\$1,317.88	\$90.86	\$2,130.81	\$1,469.16	\$70.58
7350005NV-3D0	75	\$1,930.29	\$648.31	\$2,888.65	\$90.86	\$5,558.11	\$1,062.40	\$70.58
7350693NV-BBE	75	\$1,387.25	\$459.45	\$2,580.89	\$90.86	\$4,518.45	\$687.01	\$70.58
735249NV-D8B	200	\$6,216.19	\$2,068.21	\$5,817.62	\$90.86	\$14,192.89	\$3,903.95	\$70.58
740340NV-747	150	\$7,400.63	\$2,312.38	\$5,657.35	\$90.86	\$15,461.22	\$668.71	\$70.58
740373NV-C7F	200	\$5,991.79	\$1,609.25	\$5,636.33	\$90.86	\$13,328.24	\$6,664.12	\$39.81

740385NV-DE7	200	\$8,832.46	\$1,662.08	\$6,246.20	\$90.86	\$16,831.61	\$8,415.80	\$25.98
740394NV-B0F	200	\$4,650.32	\$1,587.24	\$5,600.63	\$90.86	\$11,929.05	(\$584.80)	\$70.58
740630NV-71F	150	\$8,151.10	\$2,035.21	\$4,897.87	\$90.86	\$15,175.04	\$7,587.52	\$33.91
740649NV-C13	75	\$3,445.31	\$568.84	\$2,950.65	\$90.86	\$7,055.67	\$3,527.83	\$43.14
7406951NV-064	50	\$1,955.93	\$396.26	\$2,136.16	\$90.86	\$4,579.22	\$2,289.61	\$34.87
7433292NV-E49	500	\$12,347.10	\$4,127.02	\$12,913.66	\$90.86	\$29,478.64	\$14,739.32	\$35.31
7433294NV-FC6	150	\$2,708.30	\$940.61	\$3,639.08	\$90.86	\$7,378.86	\$3,221.71	\$70.58
743331NV-CBF	150	\$3,518.24	\$1,164.90	\$4,141.38	\$90.86	\$8,915.38	\$1,015.32	\$70.58
7433753NV-0E6	150	\$7,400.63	\$2,312.38	\$5,657.35	\$90.86	\$15,461.22	\$668.71	\$70.58
744103NV-5A5	750	\$17,536.12	\$4,426.80	\$20,938.55	\$90.86	\$42,992.34	\$21,496.17	\$33.46
744592NV-A06	200	\$1,071.94	\$323.98	\$4,767.77	\$90.86	\$6,254.56	\$2,314.06	\$70.58
744608NV-473	300	\$9,408.52	\$2,752.08	\$8,285.58	\$90.86	\$20,537.04	\$10,268.52	\$30.99
744611NV-08F	300	\$8,785.04	\$2,344.02	\$8,046.47	\$90.86	\$19,266.40	\$9,633.20	\$36.14
744655NV-320	200	\$5,798.22	\$1,145.38	\$6,000.58	\$90.86	\$13,035.05	\$6,517.52	\$29.05
7447181NV-71E	75	\$2,064.58	\$361.37	\$2,800.64	\$90.86	\$5,317.46	\$2,658.73	\$30.59
7447592NV-D72	150	\$1,030.48	\$316.92	\$3,585.38	\$90.86	\$5,023.64	\$1,330.81	\$70.58
7501257NV-2E9	150	\$1,979.16	\$606.96	\$3,869.00	\$90.86	\$6,545.98	\$1,596.23	\$70.58
750191NV-4A6	150	\$4,956.86	\$1,643.31	\$4,594.23	\$90.86	\$11,285.26	(\$1,594.99)	\$70.58
7501996NV-A4D	150	\$2,143.95	\$664.64	\$4,282.29	\$90.86	\$7,181.76	(\$2,604.06)	\$70.58
754696NV-0EE	100	\$7,660.71	\$1,594.67	\$4,101.96	\$90.86	\$13,448.20	\$6,724.10	\$29.83
7551948NV-7E0	300	\$10,892.26	\$2,590.84	\$8,494.94	\$90.86	\$22,068.90	\$11,034.45	\$35.96
760735NV-A99	150	\$3,874.85	\$1,217.06	\$4,179.42	\$90.86	\$9,362.20	\$4,681.10	\$39.11
760737NV-A1C	500	\$12,189.59	\$4,306.03	\$13,001.52	\$90.86	\$29,588.01	\$14,794.00	\$40.71
7757907NV-783	500	\$13,864.49	\$3,996.73	\$13,031.11	\$90.86	\$30,983.19	\$15,491.59	\$32.47
7757994NV-4A4	200	\$5,590.47	\$1,988.78	\$5,768.78	\$90.86	\$13,438.90	\$6,719.45	\$40.98
800449NV-3FB	75	\$2,446.92	\$801.87	\$3,148.07	\$90.86	\$6,487.73	\$213.70	\$70.58
810201NV-DAD	150	\$2,628.73	\$643.64	\$3,710.82	\$90.86	\$7,074.05	\$3,537.03	\$51.50
8102959NV-5D5	300	\$10,854.61	\$2,753.17	\$9,063.59	\$90.86	\$22,762.24	\$11,381.12	\$31.30

8144266NV-0A8	200	\$7,016.66	\$1,651.82	\$6,362.25	\$90.86	\$15,121.60	\$7,560.80	\$28.29
82029943NV-B5B	150	\$2,741.37	\$914.74	\$3,553.27	\$90.86	\$7,300.24	\$5,503.45	\$70.58
825292NV-886	500	\$15,779.06	\$4,215.83	\$14,154.00	\$90.86	\$34,239.75	\$17,119.87	\$30.73
8305375NV-D2C	50	\$1,244.30	\$447.35	\$1,864.20	\$90.86	\$3,646.71	(\$178.92)	\$70.58
8305967NV-D0E	750	\$5,988.61	\$4,100.70	\$16,767.59	\$90.86	\$26,947.77	\$13,473.88	\$105.10
8305981NV-63B	500	\$19,274.79	\$5,698.42	\$14,875.61	\$90.86	\$39,939.68	\$19,969.84	\$36.35
831121NV-B96	300	\$2,648.18	\$798.07	\$6,476.95	\$90.86	\$10,014.06	\$5,007.03	\$58.79
832431NV-6DE	1000	\$4,303.54	\$942.22	\$24,548.15	\$90.86	\$29,884.78	\$14,942.39	\$90.68
835083NV-C88	300	\$1,817.45	\$1,081.11	\$6,177.69	\$90.86	\$9,167.11	\$4,583.55	\$217.85
8365737NV-155	500	\$13,505.54	\$3,303.76	\$12,309.73	\$90.86	\$29,209.89	\$14,604.94	\$38.91
836598NV-F14	150	\$3,628.91	\$1,133.21	\$4,830.55	\$90.86	\$9,683.53	(\$5,094.19)	\$70.58
8425758NV-FE5	150	\$8,911.79	\$2,627.18	\$5,721.44	\$90.86	\$17,351.28	\$8,675.64	\$25.68
8509006NV-D55	150	\$5,856.21	\$1,985.53	\$4,963.69	\$90.86	\$12,896.30	\$6,448.15	\$25.57
8509025NV-CC0	300	\$18,601.06	\$4,066.79	\$10,806.62	\$90.86	\$33,565.33	\$16,782.66	\$23.10
8509026NV-000	500	\$12,160.13	\$2,727.32	\$13,001.68	\$90.86	\$27,980.00	\$13,990.00	\$27.87
850908NV-B67	750	\$34,154.19	\$8,051.70	\$25,932.60	\$90.86	\$68,229.35	\$34,114.67	\$22.44
850948NV-9C2	30	\$1,387.75	\$250.88	\$1,335.15	\$90.86	\$3,064.64	\$1,532.32	\$26.97
8509962NV-AA6	75	\$1,186.08	\$292.66	\$2,538.57	\$90.86	\$4,108.17	\$2,054.09	\$30.79
8541431NV-DF3	150	\$3,529.22	\$1,269.14	\$3,549.50	\$90.86	\$8,438.72	\$4,511.48	\$70.58
8548111NV-903	75	\$3,789.47	\$814.50	\$3,539.34	\$90.86	\$8,234.17	\$4,117.09	\$32.73
8665382NV-F7A	150	\$8,880.72	\$2,886.14	\$5,975.69	\$90.86	\$17,833.42	(\$4,847.94)	\$70.58
8665408NV-7A3	150	\$3,128.79	\$1,109.53	\$3,588.16	\$90.86	\$7,917.34	\$3,922.43	\$70.58
8665558NV-6AF	200	\$4,923.54	\$1,338.69	\$5,479.46	\$90.86	\$11,832.55	\$5,916.27	\$36.88
880302NV-FAD	150	\$6,206.65	\$1,367.40	\$5,014.08	\$90.86	\$12,679.00	\$6,339.50	\$21.24
8803031NV-F85	200	\$8,111.06	\$2,233.02	\$6,785.05	\$90.86	\$17,220.00	\$8,610.00	\$21.90
8803032NV-345	150	\$4,875.32	\$852.22	\$4,342.30	\$90.86	\$10,160.71	\$5,080.35	\$34.47
8803047NV-B57	150	\$2,451.80	\$600.60	\$3,807.62	\$90.86	\$6,950.89	\$3,475.44	\$40.41
880308NV-D3C	75	\$4,574.90	\$1,124.53	\$4,106.85	\$90.86	\$9,897.14	\$4,948.57	\$23.10

880309NV-179	300	\$8,500.81	\$1,883.03	\$8,234.21	\$90.86	\$18,708.91	\$9,354.46	\$26.97
880314NV-48F	300	\$5,200.70	\$1,543.96	\$7,471.49	\$90.86	\$14,307.01	\$7,153.51	\$34.54
8803164NV-3C6	75	\$5,105.45	\$1,077.84	\$4,006.00	\$90.86	\$10,280.16	\$5,140.08	\$28.63
8803165NV-F83	50	\$3,240.77	\$589.99	\$2,486.56	\$90.86	\$6,408.18	\$3,204.09	\$28.26
880316NV-40A	300	\$6,245.48	\$1,405.31	\$7,432.57	\$90.86	\$15,174.22	\$7,587.11	\$44.75
880317NV-84F	300	\$2,961.17	\$583.49	\$6,365.75	\$90.86	\$10,001.28	\$5,000.64	\$68.71
880321NV-E38	200	\$7,224.21	\$1,856.09	\$6,409.29	\$90.86	\$15,580.45	\$7,790.23	\$23.43
880323NV-EBD	150	\$5,324.93	\$1,184.40	\$4,995.44	\$90.86	\$11,595.63	\$5,797.82	\$29.04
880327NV-FB7	300	\$25,241.31	\$5,836.80	\$12,508.55	\$90.86	\$43,677.53	\$21,838.76	\$23.47
8803283NV-7B5	150	\$10,020.17	\$2,267.70	\$5,371.69	\$90.86	\$17,750.43	\$8,875.22	\$25.30
8803298NV-3CC	500	\$18,653.45	\$4,117.85	\$13,379.45	\$90.86	\$36,241.61	\$18,120.80	\$35.93
880329NV-C2C	1000	\$53,490.99	\$15,122.94	\$40,146.28	\$90.86	\$108,851.07	\$54,425.54	\$29.84
880336NV-95F	300	\$14,582.31	\$6,064.25	\$12,629.80	\$90.86	\$33,367.22	\$16,683.61	\$19.13
880344NV-C87	300	\$14,143.00	\$4,408.15	\$11,943.95	\$90.86	\$30,585.96	(\$17,892.01)	\$70.58
8803601NV-E7B	150	\$375.85	\$113.27	\$3,311.61	\$90.86	\$3,891.59	\$2,128.18	\$70.58
880361NV-C9D	500	\$34,424.20	\$7,709.88	\$19,478.13	\$90.86	\$61,703.08	\$30,851.54	\$22.56
8803625NV-224	200	\$8,572.82	\$2,399.73	\$7,101.40	\$90.86	\$18,164.80	\$9,082.40	\$23.06
880363NV-C18	200	\$4,113.57	\$983.12	\$5,566.24	\$90.86	\$10,753.80	\$5,376.90	\$30.45
880375NV-73A	300	\$5,730.94	\$2,066.56	\$6,728.11	\$90.86	\$14,616.47	\$2,593.14	\$70.58
8803767NV-900	50	\$1,203.92	\$406.51	\$1,961.13	\$90.86	\$3,662.42	(\$536.98)	\$70.58
880397NV-D05	1000	\$15,454.34	\$3,951.39	\$30,329.44	\$90.86	\$49,826.03	\$24,913.02	\$46.78
880398NV-2DB	500	\$2,454.65	\$713.71	\$10,434.25	\$90.86	\$13,693.47	\$6,846.73	\$77.98
9003051NV-DBD	300	\$18,360.65	\$4,879.02	\$10,570.27	\$90.86	\$33,900.80	\$16,950.40	\$25.80
9003053NV-D38	300	\$6,487.32	\$1,380.18	\$7,655.95	\$90.86	\$15,614.31	\$7,807.16	\$32.46
900305NV-92E	750	\$11,421.06	\$2,927.97	\$19,069.34	\$90.86	\$33,509.23	\$16,754.61	\$45.14
900306NV-5EE	750	\$9,956.05	\$3,489.32	\$17,986.24	\$90.86	\$31,522.48	\$15,761.24	\$55.92
9003071NV-0E8	300	\$23,052.27	\$6,462.34	\$12,157.83	\$90.86	\$41,763.31	\$20,881.66	\$20.48
90030815NV-060	500	\$2,952.61	\$686.82	\$10,945.18	\$90.86	\$14,675.47	\$7,337.73	\$61.20

9003081NV-OFF	200	\$9,232.75	\$1,781.45	\$6,326.54	\$90.86	\$17,431.60	\$8,715.80	\$30.08
9003082NV-C3F	75	\$5,674.31	\$1,254.91	\$4,124.66	\$90.86	\$11,144.74	\$5,572.37	\$29.28
9003083NV-07A	500	\$19,134.38	\$5,273.57	\$14,802.77	\$90.86	\$39,301.59	\$19,650.79	\$28.60
900308NV-675	1250	\$16,724.97	\$5,292.47	\$39,879.18	\$90.86	\$61,987.49	\$30,993.74	\$39.87
9003114NV-B53	50	\$1,116.21	\$227.36	\$1,700.66	\$90.86	\$3,135.10	\$1,567.55	\$28.69
9003117NV-793	300	\$22,222.52	\$5,775.51	\$11,629.99	\$90.86	\$39,718.88	\$19,859.44	\$24.85
900313NV-20C	300	\$7,758.20	\$1,666.61	\$8,267.31	\$90.86	\$17,782.98	\$8,891.49	\$27.85
9003143NV-E91	200	\$3,458.07	\$693.91	\$5,269.49	\$90.86	\$9,512.33	\$4,756.16	\$34.35
900319NV-09D	200	\$429.53	\$142.05	\$4,399.18	\$90.86	\$5,061.63	\$4,104.13	\$70.58
9003212NV-9DF	100	\$3,314.57	\$769.22	\$3,010.94	\$90.86	\$7,185.59	\$3,592.80	\$24.97
9003235NV-940	500	\$25,687.58	\$6,534.75	\$16,693.48	\$90.86	\$49,006.67	\$24,503.34	\$30.04
9003243NV-D92	200	\$7,314.05	\$2,401.39	\$7,126.86	\$90.86	\$16,933.18	(\$9,998.41)	\$70.58
9003244NV-058	300	\$12,648.67	\$2,981.23	\$9,575.64	\$90.86	\$25,296.40	\$12,648.20	\$24.16
900325NV-47B	500	\$44,907.49	\$10,154.69	\$22,705.53	\$90.86	\$77,858.58	\$38,929.29	\$20.66
900327NV-4FE	50	\$3,354.96	\$707.72	\$2,960.90	\$90.86	\$7,114.45	\$3,557.23	\$21.92
900330NV-399	500	\$33,650.38	\$8,231.13	\$19,146.11	\$90.86	\$61,118.48	\$30,559.24	\$21.77
9003385NV-2F6	150	\$6,714.60	\$1,455.18	\$4,833.09	\$90.86	\$13,093.73	\$6,546.87	\$27.45
900342NV-641	100	\$6,239.16	\$1,615.99	\$3,538.47	\$90.86	\$11,484.48	\$5,742.24	\$27.85
9003503NV-035	200	\$5,630.35	\$1,556.64	\$5,894.95	\$90.86	\$13,172.80	\$6,586.40	\$40.12
900350NV-C69	100	\$4,393.72	\$878.09	\$3,038.11	\$90.86	\$8,400.78	\$4,200.39	\$30.43
900351NV-02C	200	\$12,015.27	\$2,848.69	\$8,262.07	\$90.86	\$23,216.89	\$11,608.44	\$19.64
900356NV-DE6	300	\$7,090.54	\$2,446.66	\$8,068.80	\$90.86	\$17,696.86	(\$2,059.17)	\$70.58
9003573NV-568	200	\$7,132.55	\$2,450.44	\$5,737.79	\$90.86	\$15,411.63	\$836.07	\$70.58
900358NV-E7D	200	\$5,621.90	\$1,990.39	\$5,267.19	\$90.86	\$12,970.34	\$3,445.44	\$70.58
9003603NV-336	300	\$18,024.64	\$4,548.03	\$10,964.00	\$90.86	\$33,627.53	\$16,813.77	\$25.96
900383NV-DEB	500	\$7,297.41	\$2,784.97	\$11,589.65	\$90.86	\$21,762.90	\$10,881.45	\$58.66
900384NV-021	500	\$28,762.89	\$7,548.89	\$17,656.08	\$90.86	\$54,058.72	\$27,029.36	\$27.21
900390NV-B86	300	\$8,183.99	\$2,851.89	\$7,170.00	\$90.86	\$18,296.75	\$7,649.82	\$70.58

9003995NV-251	300	\$7,020.42	\$2,249.66	\$8,425.23	\$90.86	\$17,786.17	(\$3,377.56)	\$70.58
920755NV-4EA	150	\$6,575.07	\$7,263.30	\$4,638.15	\$90.86	\$18,567.39	\$9,283.69	\$29.80
930503NV-F8B	100	\$1,766.03	\$1,576.06	\$2,139.36	\$90.86	\$5,572.32	\$2,786.16	\$51.07
930505NV-E04	150	\$5,626.87	\$6,583.93	\$4,359.89	\$90.86	\$16,661.56	(\$1,632.76)	\$70.58
930921NV-E57	200	\$3,415.87	\$4,217.55	\$4,427.00	\$90.86	\$12,151.29	\$4,730.63	\$70.58
931326NV-837	150	\$2,249.28	\$2,735.21	\$3,187.07	\$90.86	\$8,262.42	\$3,926.76	\$70.58
931704NV-9E6	200	\$2,208.33	\$2,175.87	\$4,304.80	\$90.86	\$8,779.87	\$4,389.93	\$48.75
931746NV-BC6	200	\$5,670.19	\$7,027.15	\$5,144.48	\$90.86	\$17,932.68	\$238.01	\$70.58
931749NV-418	300	\$6,201.20	\$7,117.62	\$6,541.50	\$90.86	\$19,951.17	\$9,975.59	\$35.36
931760NV-71C	150	\$3,897.57	\$4,787.72	\$3,411.43	\$90.86	\$12,187.58	\$5,341.75	\$70.58
931775NV-0FE	150	\$3,085.97	\$4,035.30	\$3,062.65	\$90.86	\$10,274.79	\$6,562.57	\$70.58
931776NV-C3E	150	\$3,538.40	\$4,526.08	\$3,170.67	\$90.86	\$11,326.01	\$6,724.74	\$70.58
931777NV-07B	750	\$42,552.25	\$38,030.04	\$23,052.19	\$90.86	\$103,725.35	\$51,862.67	\$27.57
933534NV-759	200	\$1,706.34	\$6,043.00	\$4,761.14	\$90.86	\$12,601.35	\$6,300.67	\$28.58
934525NV-5D1	150	\$2,054.05	\$2,280.56	\$3,446.27	\$90.86	\$7,871.75	\$1,884.16	\$70.58
9406011NV-187	500	\$24,529.16	\$20,165.49	\$13,347.73	\$90.86	\$58,133.24	\$29,066.62	\$33.26
9406013NV-102	500	\$15,142.73	\$13,432.13	\$11,448.91	\$90.86	\$40,114.63	\$20,057.32	\$38.41
9408016NV-48D	1750	\$113,010.84	\$127,321.68	\$55,997.79	\$90.86	\$296,421.19	\$148,210.59	\$34.23

## 11.2 Line Charge Breakdown for Group Customers

Consumer Capacity	Code	Number of Connections	Transpower Charge	Sub transmission Charge	Distribution Charge	PowerNet Overheads	Fixed Charge per Day	Variable Charge per Day MWh Purchases
<b>Domestic</b>								
Small Domestic (8kVA 1 Phase) - All Peak	ND08P	14	\$1,903.41	\$677.58	\$3,994.88	\$1,272.10	\$0.66	\$70.58
Small Domestic (8kVA 1 Phase) - With Off Peak	ND08Q	136	\$15,400.57	\$5,643.51	\$30,108.14	\$12,357.57	\$0.46	\$70.58
Standard Domestic (20kVA 1 Phase) - All Peak	ND20P	533	\$144,930.89	\$51,592.68	\$333,118.63	\$48,430.77	\$1.22	\$70.58
Standard Domestic (20kVA 1 Phase) - With Off Peak	ND20Q	9690	\$2,194,580.55	\$804,200.18	\$4,919,417.10	\$880,476.83	\$0.84	\$70.58
10% Fixed Charge Option - All Peak	NDL20P	249	\$50,938.89	\$19,070.93	\$35,687.34	\$22,625.26	\$0.15	\$114.20
10% Fixed Charge Option - With Off Peak	NDL20Q	3567	\$612,887.17	\$233,351.60	\$367,941.90	\$324,113.61	\$0.00	\$114.20
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	NDL08P	6	\$775.34	\$278.27	\$1,009.80	\$545.19	\$0.15	\$94.22
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	NDL08Q	69	\$7,436.39	\$2,742.00	\$8,102.59	\$6,269.65	\$0.00	\$94.22
<b>Non-Domestic Single Phase</b>								
Street Lights (1 Phase)	NS001L	4221	\$27,353.54	\$9,900.06	\$164,644.84	\$9,003.26	\$0.10	\$70.58
1 kVA 1 Phase - All Peak	NS001P	32	\$4,904.05	\$1,642.58	\$13,016.88	\$2,907.66	\$0.47	\$70.58
8 kVA 1 Phase - All Peak	NS008P	165	\$22,433.02	\$7,985.73	\$47,082.47	\$14,992.64	\$0.66	\$70.58
8 kVA 1 Phase - With Off Peak	NS008Q	12	\$1,358.87	\$497.96	\$2,656.60	\$1,090.37	\$0.46	\$70.58

20 kVA 1 Phase - All Peak	NS020P	267	\$72,601.40	\$25,844.74	\$166,871.81	\$24,260.82	\$1.22	\$70.58
20 kVA 1 Phase - With Off Peak	NS020Q	106	\$24,006.76	\$8,797.24	\$53,814.06	\$9,631.64	\$0.84	\$70.58
<b>Non-Domestic Three Phase</b>								
15 kVA 3 Phase - All Peak	NT015P	62	\$15,805.08	\$5,626.31	\$33,172.32	\$5,633.60	\$1.02	\$70.58
15 kVA 3 Phase - With Off Peak	NT015Q	10	\$2,123.24	\$778.06	\$4,215.41	\$908.64	\$0.66	\$70.58
30 kVA 3 Phase - All Peak	NT030P	520	\$262,270.73	\$95,531.31	\$422,507.69	\$47,249.53	\$1.70	\$70.58
30 kVA 3 Phase - With Off Peak	NT030Q	145	\$61,142.58	\$22,799.84	\$95,889.54	\$13,175.35	\$1.16	\$70.58
50 kVA 3 Phase - All Peak	NT050P	286	\$324,878.04	\$116,597.20	\$611,296.93	\$25,987.24	\$3.48	\$70.58
50 kVA 3 Phase - With Off Peak	NT050Q	72	\$68,211.57	\$25,151.45	\$130,855.85	\$6,542.24	\$2.36	\$70.58
75 kVA 3 Phase - All Peak	NT075P	108	\$209,301.94	\$76,237.59	\$388,614.19	\$9,813.36	\$7.14	\$70.58
75 kVA 3 Phase - With Off Peak	NT075Q	14	\$22,683.33	\$8,458.53	\$42,978.52	\$1,272.10	\$5.20	\$70.58
100 kVA 3 Phase - All Peak	NT100P	61	\$188,215.71	\$68,556.99	\$292,999.64	\$5,542.73	\$8.69	\$70.58
100 kVA 3 Phase - With Off Peak	NT100Q	8	\$20,636.94	\$7,695.44	\$33,766.04	\$726.92	\$6.30	\$70.58
<b>EIL Bluff</b>								
<b>Domestic</b>								
Small Domestic (8kVA 1 Phase) - All Peak	BD08P	2	\$271.92	\$353.92	\$313.57	\$181.73	\$0.66	\$70.58
Small Domestic (8kVA 1 Phase) - With Off Peak	BD08Q	5	\$566.20	\$750.10	\$564.30	\$454.32	\$0.46	\$70.58
Standard Domestic (20kVA 1 Phase) - All Peak	BD20P	104	\$28,279.20	\$36,807.76	\$38,257.86	\$9,449.91	\$1.22	\$70.58
Standard Domestic (20kVA 1 Phase) - With Off Peak	BD20Q	516	\$116,863.11	\$154,820.59	\$149,966.46	\$46,886.07	\$0.84	\$70.58
10% Fixed Charge Option - All Peak	BDL20P	66	\$14,390.78	\$19,670.88	\$1,554.37	\$5,997.06	\$0.15	\$114.20
10% Fixed Charge Option - With Off Peak	BDL20Q	163	\$29,788.73	\$41,222.16	\$2,046.84	\$14,810.91	\$0.00	\$114.20
10% Fixed Charge Option (8kVA 1 Phase) - All Peak	BDL08P	2	\$258.45	\$339.95	\$89.40	\$181.73	\$0.15	\$94.22
10% Fixed Charge Option (8kVA 1 Phase) - With Off Peak	BDL08Q	3	\$323.32	\$432.38	\$39.12	\$272.59	\$0.00	\$94.22
<b>Non-Domestic Single Phase</b>								

Street Lights (1 Phase)	BS001L	352	\$2,281.08	\$3,033.18	\$11,033.67	\$1,239.70	\$0.10	\$70.58
1 kVA 1 Phase - All Peak	BS001P	1	\$153.25	\$184.23	\$273.88	\$90.86	\$0.47	\$70.58
8 kVA 1 Phase - All Peak	BS008P	12	\$1,631.49	\$2,123.52	\$1,881.44	\$1,090.37	\$0.66	\$70.58
8 kVA 1 Phase - With Off Peak	BS008Q	0	\$0.00	\$0.00	\$0.00	\$0.00	\$0.46	\$70.58
20 kVA 1 Phase - All Peak	BS020P	30	\$8,157.46	\$10,617.62	\$11,035.92	\$2,725.93	\$1.22	\$70.58
20 kVA 1 Phase - With Off Peak	BS020Q	2	\$452.96	\$600.08	\$581.27	\$181.73	\$0.84	\$70.58
<b>Non-Domestic Three Phase</b>								
15 kVA 3 Phase - All Peak	BT015P	4	\$1,019.68	\$1,327.20	\$1,175.93	\$363.46	\$1.02	\$70.58
15 kVA 3 Phase - With Off Peak	BT015Q	0	\$0.00	\$0.00	\$0.00	\$0.00	\$0.66	\$70.58
30 kVA 3 Phase - All Peak	BT030P	34	\$17,148.47	\$22,990.36	\$10,881.42	\$3,089.39	\$1.70	\$70.58
30 kVA 3 Phase - With Off Peak	BT030Q	6	\$2,530.04	\$3,441.35	\$1,469.93	\$545.19	\$1.16	\$70.58
50 kVA 3 Phase - All Peak	BT050P	14	\$15,903.12	\$20,918.36	\$14,712.82	\$1,272.10	\$3.48	\$70.58
50 kVA 3 Phase - With Off Peak	BT050Q	4	\$3,789.53	\$5,067.79	\$3,599.29	\$363.46	\$2.36	\$70.58
75 kVA 3 Phase - All Peak	BT075P	8	\$15,503.85	\$20,785.47	\$13,647.99	\$726.92	\$7.14	\$70.58
75 kVA 3 Phase - With Off Peak	BT075Q	0	\$0.00	\$0.00	\$0.00	\$0.00	\$5.20	\$70.58
100 kVA 3 Phase - All Peak	BT100P	3	\$9,256.51	\$12,409.88	\$5,371.59	\$272.59	\$8.69	\$70.58
100 kVA 3 Phase - With Off Peak	BT100Q	0	\$0.00	\$0.00	\$0.00	\$0.00	\$6.30	\$70.58